


- 
-  AUTOMOTIVE
 -  HYGIENE
 -  COMMUNITIES
 -  INDUSTRY



EDITION

2024

CATALOG PRODUCTS

The quality & reference of the most demanding professionals!



WHO ARE WE ?

4B DISTRIB is a family company specializing in the design, import and distribution of quality equipment for professionals.

Our customers are chemical manufacturers, distributors, wholesalers, groups and purchasing centers in France and abroad in the following areas:

- Hygiene, communities, buildings, industries, automobiles, transport, motorcycles, boats , green spaces, livestock, agriculture...

All our products have been designed and manufactured to meet the requirements of professionals in terms of quality, reliability and robustness.

With 40 years of experience, Marco BOSI and his team have the following objectives:

- To constantly innovate and develop products that meet market needs,
- To design and offer carefully selected and high quality materials,
- To be a true partner who listens to you, combining competitiveness, responsiveness and efficiency.

Quite simply *"The best for you"*

MARCO BOSI
PRESIDENT

DISTRIBUTION
& DELIVERY

IMPORT
& STORAGE

REALIZATION
& MANUFACTURING

STUDY &
DESIGN



OUR STRONG POINTS

Strategic location at the intersection of major roads and close to Roissy Charles de Gaulle and Orly airports.

Large stock to guarantee shipments within
24 to 48 hours.

A true local partner based in France.

OUR TEAM AT YOUR SERVICE



Marco BOSI
President
m.bosi@4bdistrib.com



Alexandre BOSI
Sales manager
a.bosi@4bdistrib.com



Sabrina BOSI
Marketing &
Administrative
Manager
s.bosi@4bdistrib.com



**Luizinho PINA
TEIXEIRA**
Sales representative
l.pina@4bdistrib.com



Delphine PROVAIN
Commercial Assistant
adv@4bdistrib.com



Camille CARETTE
Sales administration
adv2@4bdistrib.com



Vivienne YE
Purchases
achats@4bdistrib.com



Vaïana ANTONY
Accounting
compta@4bdistrib.com



Maxime BALOSSIER
Digital Marketing
webmarketing@4bdistrib.com

3


THE 4B DISTRIB TEAM



➤ OUR SHOW-ROOM



➤ OUR WAREHOUSE



➤ OUR WEBSITE - WWW.4BDISTRIB.COM

- DÉCOUVREZ :**
- Our new products
 - Our technical files
 - Our video demonstration
 - Our news



VIDEO CONFERENCE ROOM



- Interactive meetings
- New product presentations
- Technical trainings



INNOVANT – ACCESSIBILITY – EFFICIENCY
ECOLOGIC – REACTIVE

Objectives :

- Strengthen their commitment
- At your service efficiently
- Train your teams and technicians without wasting time

How does it work ? Its' very simple :

- Inquire your partner 4B DISTRIB and choose a session in our program (below)
- Send your choices and availability : contact@4bdistrib.com
- Receive an invitation and link to join a conference meeting from your computer or mobile phone



SELECTION PRODUCTS



**PRO SPRAYER
GENERATION III
with rinsing system**
Ref: 100M023 - 1 battery
Ref: 100M021 - 2 batteries

p.9

DILUCLEAN STAINLESS STEEL CABINET

Ref: 151M006 - Left side stainless steel cabinet
Ref: 151M007 - Right side stainless steel cabinet
Ref: 151M0068 - Stainless steel cabinet right and left side

p.31



HYGIENE CENTRAL
Ref: 165M007 Central unit 1 product - 15 M hose

p.34

REEL WITH KIT INTEGRATED DOSING

Ref: 640M050 - 11 M hose
Ref: 640M051 - 15 M hose

p.28



**ANTI-SHOCK
PLATIC GUN**
Ref: 160A002 - Simple version
Ref: 160A003 - Equipped with NITO tip

p.37

BAG IN BOX CONNECTORS

Ref: 160A117

p.31



SYSTEM OF CAR PRO SPRAY

Ref: 180M004

p.26



FOAM SPRAYER

Ref: 320M007

p.47



HOLDER FOR SPRAYER

Ref: 770M007

p.75



TROLLEY CART

Ref: 770M003

p.75



SUMMARY



SPRAYER

PRO SPRAYER III autonomous & electric sprayers	9
PRO SPRAYER III equipped with integrated rinsing system	9
BACK SPRAYER	10
Water supply kit with quick coupling	10
Wash kit	10
Telescopic boom	11
Options and spare parts	11
ECO SPRAYER III	12
ROLLER SPRAYER	12
GLADIATOR SPRAYER II	13
IK Range pre-pressure sprayers	14 and 15
HACCP SPRAYER SYSTEM range	16
ECO MATIC SPRAYER range	16
EXTREME range	17
ECOPRO SPRAYER	17
VENUS range	18
ORION range	19
MERCURY PRO+ 360° range	20
BOTTLES range	20
VELA Heads range	21
CANYON Heads range	21
UPSIDE DOWN Heads range	21



CLEANING GUNS

CYCLONE CARTOOL range	22 and 23
AIR BLOWS range	24 and 25



DOSING SYSTEMS

• CARWASH range	
CAR PRO spray system	26
CAR NET self-drying system	26
CAR DUO combined system	27
CAR PRO RINSE system	27
CAR ACID spray system Special for rims	27
Stainless steel hydraulic reel with integrated dosing kit	28
Accessories & spare parts	29
• Dilution and filling systems	
DILUCLEAN SELECT - version 4 products	30
DILUCLEAN - version 1 product	30
PORTACLEAN	31
EVODOSE	31
Lockable stainless steel cabinet	31
Bag in box connectors	31
FILL CLEAN, TOWER CLEAN and HYDROMASTER	32
• Dilution systems	
Manual dosing pumps	33
Drum pumps	33
• Hygiene stations and centers	
JET CLEAN station and ELIT CLEAN central unit	34 and 35
Stainless steel mobile trolley for hygiene stations and centers	36
Reel with integrated dosing kit	36
INOX hygiene unit 1 product	36
Double simultaneous suction hygiene unit	36
Accessories & spare parts	36 and 37



AUTOMATIC REELS

Hydraulic range	38 and 39
Pneumatic range	39



DOSERS

• Venturi dosers for dishwashers and washing machines	
MASTER CLEAN range	40 and 41
• Contactless dispensers	
Standing version	42
Wall version	42



ELECTRIC FOGGERS

DP1200	43
COMBATTOR	43
MAGIC DORSALE	43
EXCELLOR autonomous on Lithium battery	43



HIGH PRESSURE SPRAYERS

MONO SPRAYER	44
HP SPRAYER	44
HP telescopic pole	44



FOAMERS

High pressure range	45
Hydraulic range	46
Autonomous range	47
Pre-pressure range	47
Pneumatic range	48 and 49



WASHING POLES

With water passage	50
Without water passage	51



BRUSHES & SQUEEGEES

With water passage	52 and 53
--------------------	-----------



HAND BRUSHES & SQUEEGEES

Hand brushes	54
Brush pad	55
Paint brushes	55
Raclettes	55



GLOVES & SPONGES

Washing gloves	56
Chamois towels	56
Sponges	57



MICROFIBERS & WIPES

Microfibers	58 and 59
Impregnated wipes	60



FLOOR CLEANING

360° rotating broom TURBO MOP DELUX	61
-------------------------------------	----



VACUUM CLEANERS

• Wet and dry vacuum cleaners	
Plastic tank 1 motor	62
Plastic tank 3 motors	62
Stainless steel tank 3 motors	62
• Injectors / Extractors	
Model L4	63
Model L5	63



MATERIALS & TOOLS

Electric polishers & sanders	64 and 65
Pneumatic polishers & sanders	66 and 67
Pneumatic scraper grinder brush machine	68 and 69
Autonomous grease pump	69
R-SPRAYER aerosol	70
Autonomous inflator	70
RAPIDO autonomous and universal unblocker	71
INSECTIVOR insect destroyer	71



LAMPS & LIGHTING BAGS

Lighting strip	72
360° shape memory lamps	72
3 in 1 multi-function. Lamp	72
Extra flat LED work lamp	73
Extra thin and foldable lamp	73
Headlamp	73
360° adjustable lamp	73



MISCELLANEOUS EQUIPMENT

• Accessories	
Bucket + Grid 25 L	74
Waste collection pliers	74
Faucet cap	74
"Special trunk " bag	74
Professional bag	74
Telescopic ladder	74
ALU step	74
Polisher holder	75
Pad holder	75
Handle or brush holder	75
Sprayer holder	75
Brush and sprayer holder	75
Support Cyclone and Foam launches	75
Mobile trolley with storage	75



SPRAYERS SPRAYERS

AUTONOMOUS & ELECTRIC

« OFTEN IMITATED
NEVER EQUAL »

The autonomous electric sprayers from the PRO SPRAYER and DORSAL SPRAYER range were designed by 4B DISTRIB.

4B DISTRIB is very demanding in terms of quality and reliability regarding all components.



- 1. ALUMINUM HANDLE**
 - Height adjustable
 - Integrated accessories storage box
- 2. INCLINED CAP**
 - Facilitates filling and avoids overflows and splashes
- 3. STAINLESS STEEL AND PTFE GUN**
 - Good resistance to chemicals
- 4. STAINLESS STEEL LANCE**
 - High thickness: no risk of breakage and folds
- 5. PIPE SUPPORT**
 - Integrated and durable
- 6. HOOD**
 - Anti-splash
- 7. HIGH QUALITY 7 BAR PUMP**
 - Resistance to aggressive chemicals
- 8. BATTERY - 2600 mAh - 18V**
 - Recognizable by its red color
 - High capacity and long longevity
- 9. BATTERY CHARGER WITH JACK PLUG**
 - Guaranteed optimum charging without reducing battery capacity unlike fast chargers
- 10. DRAIN PLUG**
 - Allows total emptying of the tank

APPLICATION EXAMPLES

ROOFING



TERRACES



VEHICLES



GREEN SPACES



POOLS



LIVESTOCKS



BENEFITS

- Multi-use.
- No more carrying and pumping.
- Easy, economical and effective.
- Autonomous electric sprayers allow **spraying, disinfection and cleaning at low pressure** with a water solution + ready-to-use product.
- **The sprayers operate autonomously** without any water, electricity or compressed air connection thanks to rechargeable Lithium-ion batteries.
- You will thus be able to work in complete freedom and **"NON STOP" thanks to the 2 battery version.**





SPRAYERS SPRAYERS

AUTONOMOUS & ELECTRIC

PRO SPRAYER III "Last generation "

Ref: [100M005 - 1 battery version](#)

Ref: [100M006 - 2 battery version](#)

MOBILE VERSION

- Jet range up to 13 meters
- Tank capacity: 30 liters
- Pressure: 4 to 7 bars
- Flow rate: 0 to 240 L/H
- 40 cm stainless steel lance
- Stainless steel and PTFE interior gun (special aggressive chemistry)
- Hose length: 8 meters
- Battery: Lithium-ion 18 V
- Hose extension: optional
- Battery capacity: 2600 mAh
- Battery charger: 220 V - 50 Hz
- Working time: NON STOP (with the 2 battery version)
- Usage time 1 battery: 2h30
- Time battery recharge: approximately 1h30
- Dimensions: L = 40 cm / D = 35 cm / H = 115 cm
- Weight: 7.5 kg



- Height adjustable handle.
- Nozzle storage box.
- Integrated hose support.
- Equipped with a drain plug.
- Tilt of the cap to facilitate filling.



9

PRO SPRAYER III "Last generation" equipped WITH INTEGRATED RINSING SYSTEM

Ref: [100M023 - 1 battery](#)

Ref: [100M021 - 2 batteries](#)

NEW TECHNOLOGY REVOLUTIONIZES SPRAYING

- Keep your device clean in the blink of an eye.
- Allows complete cleaning of the device thanks to its integrated rinsing system.
- Avoids problems of crystallization and clogging of all components.





SPRAYERS

AUTONOMOUS & ELECTRIC

DORSAL SPRAYER

Ref: **100M003** - 1 battery version

Ref: **100M004** - 2 battery version

DORSAL VERSION

- Jet range up to 10 meters
- Tank capacity: 16 liters
- Tank equipped with back transport straps
- Pressure: 3 to 5 bars
- Flow rate: 3 L/min
- 40 cm stainless steel lance
- Stainless steel and PTFE interior gun
- Hose length: 1.5 meters
- Battery: Lithium-ion 18 V
- Battery capacity: 2600 mAh
- Battery charger: 220 V - 50 Hz
- Working time: NON STOP (with the 2 battery version)
- Battery recharge time: approximately 1h30
- Dimensions: L = 36 cm / D = 22 cm / H = 55 cm
- Weight: 3.5 kg



WATER SUPPLY KIT WITH QUICK CONNECTION

Ref: **100A042**

- Indispensable tool on construction sites when there is no water source nearby
- Ideal for cutters, core drills, chainsaws...
- Autonomous with automatic start-up
- The tool is designed to fit on our sprayers PRO SPRAYER and DORSAL SPRAYER and turns them into a self-contained water tank



WASH KIT

Ref: **105M005**

- 1 6m telescopic pole
- 1 water passage pipe
- 1 hard brush (special for roofs, facades, terraces, etc.)
- 1 soft brush (special for glass)





SPRAYERS SPRAYERS

AUTONOMOUS & ELECTRIC

TELESCOPIC POLE

Ref: **105M001** - Length 3.2 meters
Ref: **105M002** - Length 5.4 meters



- Equipped with coupler allowing you to adapt the 3 spray nozzles green, red and white.
- Very light: less than 1 kg.



PACK OF 5 NOZZLES
FLAT, STRAIGHT AND FOAM JET

Ref: **100A061**



360° ADJUSTABLE QUICK COUPLER
FOR NOZZLES

Ref: **100A066**



SPRAY KIT
ROLLER MULTI-NOZZLES

Ref: **100A067**

OPTIONS & SPARE PARTS for PRO SPRAYER and DORSAL SPRAYER



Spray handle
Ref: **100A022**



Stainless steel lance 40 cm
Straight jet
Ref: **100A003**



Spoon lance air conditioning
SPRAYER telescopic 90° jet
Ref: **100A041**



Diaphragm pump with pressure
switch
Ref: **100A053** for PROSPRAYER
GENERATION III



Diaphragm pump with pressure
switch (switch)
Ref: **100A026** for PRO SPRAYER
GENERATION II
Ref: **100A027** for DORSAL



Battery charger
2600mAh
Ref: **100A020**



18V battery
2600mAh
Ref: **100A001**



Large 5200 mAh
lithium-ion rechargeable
battery
Ref: **100A051** for PROSPRAYER
GENERATION III



Charger for large 5200
mAh battery
Ref: **100A052** for PROSPRAYER
GENERATION III



KW3A black switch
for the pump
Ref: **100A033** for PROSPRAYER
GENERATION III



Mist jet nozzle
White color
Ref: **100A006**



Fine flat jet nozzle
Yellow color
Ref: **100A030**



Flat jet nozzle
Green color
Ref: **100A004**



Straight jet nozzle
Red color
Ref: **100A005**



8 meter hose
Ref: **100A029** for PROSPRAYER



Suction line and
bulkhead pass
Ref: **100A035** for PROSPRAYER



Suction line
Ref: **100A050** for
DORSAL SPRAYER



Extension
Ref: **100A007** - L = 10m
Ref: **100A008** - L = 20m



1.5 meter hose
Ref: **100A058** for DORSAL SPRAYER



SPRAYERS

AUTONOMOUS & ELECTRIC

ECO SPRAYER III "New generation"

Ref: 102M001 - 2 battery version

- Jet range up to 10 meters
- Batteries: Lithium-ion 2600mAh - 15 V
- Battery charger: 220/240 VAC - 50-60 Hz
- Battery charging time: Approximately 2 hours
- Continuous working time: 1 hour
- So "NON STOP" thanks to the 2 batteries
- Pressure: 6 bars
- Flow rate: 2 L/min (max position)
- Equipped with a flow variator
- Telescopic stainless steel lance: 90 cm (2 x 45 cm)
- Pipe length: 6 meters
- Weight: 3.9 kg



COMPLETE KIT INCLUDING:

- 1 spray gun
- 2 Lithium-ion battery
- 1 battery charger
- 1 short spear of 20 cm
- 1 telescopic lance 2 x 45 cm
- 1 6 meter pipe
- 1 set of 6 nozzles
- 1 support strap
- 1 storage case



OPTIONS & SPARE PARTS for ECO SPRAYER III

Lithium battery
Ref: 102A001



Battery charger
Ref: 102A002



Set of 6 nozzles
Ref: 102A007



Short stainless steel lance
20 cm
Ref: 102A004



Telescopic stainless steel lance 90 cm (2 x 45 cm)
Ref: 102A005



Stainless steel lance 2 x 1 meter (option)
Ref: 102A006



ROLLER SPRAYER

Ref: 100M007

- Equipped with an electro-pneumatic head
- Equipped with an manual pump
- Tank capacity: 12 liters
- Pressure: 1.8 bars
- Telescopic stainless steel lance: 90 cm (2 x 45 cm)
- Hose length: 3 meters
- 7.2 V Lithium-ion battery
- Battery capacity: 2200 mAh
- Battery charger: 220 V - 50 Hz
- Continuous working time: 1h30 and "NON STOP" with 2 electro-pneumatic heads
- Battery recharge time: approximately 3 hours
- Dimensions: L = 32 cm / D = 25 cm / H = 59 cm
- Weight: 3.7 kg



AIR



- No more pumping.
- Pressurizing the tank using the electro-pneumatic head.
- Starts automatically when pressure decreases and stops when pressure increases.
- Large integrated filling funnel.

DETACHED PIECES for ROLLER SPRAYER

Electro-pneumatic head
Ref: 100A009
7.2V Lithium-ion battery



Emergency manual pump
Ref: 100A036



Battery charger for electro-pneumatic head
Ref: 100A037



Handle + Hose
Ref: 100A040



Plastic lance + plastic nozzle
Ref: 100A043



Telescopic lance
Ref: 100A039
Length: 90cm (2 x 45cm)





SPRAYERS

AUTONOMOUS & ELECTRIC

GLADIATOR SPRAYER II “New Generation”

Ref: 103M001 - 1 battery version

- Jet range up to 10 meters
- Tank capacity: 45 liters
- Pressure: 6 bars
- Flow rate: 270 L/h
- Stainless steel lance: 40 cm
- Pipe length: 30 meters
- Battery: 12V - 12AH
- Battery capacity: 220/240 VAC - 50-60 Hz
- Working time: 6 hours NON STOP
- Battery recharge time: 8 hours
- Dimensions: L = 40 cm / D = 64 cm / H = 92 cm
- Weight: 17.5 kg



- The device can remain in the vehicle thanks to its long hose length of 30 meters.



1. Special all-terrain wheels.
Reinforced metal frame
2. Protection and storage box
for pump, battery and spray nozzles
3. Reel equipped with a 30 meter hose

OPTIONS & SPARE PARTS for GLADIATOR SPRAYER



Battery
Ref: 103A001



Battery charger
Ref: 103A002



Pump for
GLADIATOR
Generation I
Ref: 103A003



Double head pump for
GLADIATOR
Generation II
Ref: 103A006



Spray
handle
Ref: 100A002



Stainless steel lance 40 cm
Ref: 100A003



Flat jet nozzle
Green color
Ref: 100A004



Straight jet nozzle
Red color
Ref: 100A005



Fine flat jet nozzle
Yellow color
Ref: 100A030



Adjustable angled nozzle
Ref: 100A066



Pack of 5 nozzles
Ref: 100A061



Tricolor pipe
Length 30 meters
Ref: 103A007



SPRAYERS

PRE-PRESSURED

IK RANGE

IK 1.5

Ref: 130M001

- Total capacity: 1.5 liters
- Useful capacity: 1 liter
- "Viton" seals
- Resistant to acid products
- Pressure: 3 bars
- Flow rate: 0.5 L/min
- Weight: 0.46 kg

Ideal in cleaning, construction, automotive and all types of industrial workshops

THE



- Seals and materials resistant to most acids and solvents.



IK ALK 1.5

Ref: 130M002

- Total capacity: 1.5 liters
- Useful capacity: 1 liter
- "EPDM" seals
- Resistant to alkaline products
- Pressure: 3 bars
- Flow rate: 0.5 L/min
- Weight: 0.46 kg

Ideal for cleaning and disinfection in hygiene and sanitary areas

THE



- Seals and materials resistant to alkaline substances, alcohols and acetones.



IK HYDROCARBON

Ref: 130M012

- Total capacity: 1.5 liters
- Useful capacity: 1 liter
- Gaskets resistant to oils, hydrocarbons and solvents (do not use with acids)
- Pressure: 3 bars
- Flow rate: 0.5 L/min
- Weight: 0.46 kg


Ideal for cleaning brakes, machines, engines, etc.

THE



- Seals and materials resistant to most oils, hydrocarbons and solvents.





SPRAYERS

PRE-PRESSURED

IK RANGE



- Funnel integrated into the tank.
- Seals and materials resistant to most acids and solvents.

IK 6

Ref: **130M010**

- Total capacity: 6 liters
- Useful capacity: 4 liters
- "Viton" seals
- Fiberglass lance
- Pressure: 3 bars
- Flow rate: 0.5 L/min
- Equipped with carrying strap
- Weight: 1.47 kg

IK 9

Ref: **130M003**

- Total capacity: 8 liters
- Useful capacity: 6 liters
- "Viton" seals
- Fiberglass lance
- Pressure: 3 bars
- Flow rate: 0.5 L/min
- Equipped with carrying strap
- Weight: 1.72 kg

IK 12

Ref: **130M009**

- Total capacity: 10 liters
- Useful capacity: 8 liters
- "Viton" seals
- Fiberglass lance
- Pressure: 3 bars
- Flow rate: 0.5 L/min
- Equipped with carrying strap
- Weight: 1.93 kg



OPTIONS & PARTS DETACHED for IK 6 - IK 9 - IK 12

Stainless steel elbow nozzle
Ref: **130A001**

Plastic elbow nozzle
Ref: **130A002**

Fiber Spear
Ref: **130A003**

Spear handle
Ref: **130A004**

Complete pump
Ref: **130A005**

Safety valve
Ref: **130A006**

Metal spear
Ref: **130A007**

Two-component black hose
Ref: **130A008**



IK ALK9

Ref: **130M004**

- Total capacity: 9 liters
- Useful capacity: 7 liters
- "EPDM" seals
- Stainless steel lance
- Pressure: 3 bars
- Flow rate: 0.5 L/min
- Equipped with carrying strap
- Weight: 2 kg



BUILD MORE

Ref: **130M014**

- Total capacity: 6.2 liters
- Useful capacity: 5 liters
- "Viton" seals
- Fiberglass lance
- Pressure: 3 bars
- Flow rate: 0.5 L/min
- Equipped with carrying strap



SELECTA 7

Ref: **130M013**

- Total capacity: 6.2 liters
- Useful capacity: 5 liters
- "Viton" seals
- Fiberglass lance
- Pressure: 3 bars
- Flow rate: 0.5 L/min
- Equipped with carrying strap





SPRAYERS

PRE-PRESSURED

HACCP RANGE SPRAYER SYSTEM

Color code according to the European cleanliness standard:

- **Green** : for floors
- **Blue** : for windows
- **Red** : for sanitary facilities
- **Yellow** : for disinfection

THE



- 1 chemistry - 1 field of application - 1 associated color
- = Simplifies the HACCP approach and avoids errors of use.

Ref: 133M001



Green color for floors

- Total capacity: 1.7 liters
- Useful capacity: 1.5 liters
- "Viton" seals
- Pressure : 3 bars
- Adjustable jet
- PP tank



Ref: 133M002



Blue color for windows

- Total capacity: 1.7 liters
- Useful capacity: 1.5 liters
- "Viton" seals
- Pressure : 3 bars
- Adjustable jet
- PP tank



Ref: 133M003



Red color for sanitary facilities

- Total capacity: 1.7 liters
- Useful capacity: 1.5 liters
- "Viton" seals
- Pressure: 3 bars
- Adjustable jet
- PP tank



Ref: 133M004



Yellow color for disinfection

- Total capacity: 1.7 liters
- Useful capacity: 1.5 liters
- "Viton" seals
- Pressure : 3 bars
- Adjustable jet
- PP tank



ECO MATIC SPRAYER RANGE

VITON

Ref: 133M010

- Total capacity: 2 liters
- Useful capacity: 1.8 liters
- "Viton" seals
- Pressure: 3 bars
- Adjustable jet
- PP tank



THE



- Seals and materials resistant to most acids and solvents.

EPDM

Ref: 133M011

- Total capacity: 2 liters
- Useful capacity: 1.8 liters
- "EPDM" seals
- Pressure: 3 bars
- Adjustable jet
- PP tank



THE



- Resistant joints and materials to alkaline substances, alcohols and acetones.

NBR

Ref: 133M012

- Total capacity: 2 liters
- Useful capacity: 1.8 liters
- "NBR" seals
- Pressure: 3 bars
- Adjustable jet
- PP tank



THE



- Seals and materials resistant to most hydrocarbons, oils and diluted acids.

VITON + PA

Ref: 133M013


- Total capacity: 2 liters
- Useful capacity: 1.8 liters
- "Viton + PA" seals
- Pressure: 3 bars
- Adjustable jet
- PP tank
- Head body and pump in PA nylon



THE



- Very resistant and ideal for cleaning rims.



SPRAYERS

PRE-PRESSURED

EXTREME RANGE

RESIST+

1L

Equipped with seals

Ref: 131M003

- Capacity: 1 liter
- Equipped with seals FKM and polyamide
- Ultra resistant to aggressive products
- Ideal for solvent-based products



EXTREME 20P

2L

Ref: 131M001

- "Special auto" sprayer
- Total capacity: 2.2 liters
- Useful capacity: 2 liters
- "Viton" seals
- Resistant to acid products
- Dimensions: 34 x 13 cm
- Weight: 0.52 kg



PREMIUM

5L

Ref: 133M018

- Capacity: 5 liters
- Seals: NBR
- Weight: 2.15 kg



THE



- Nozzle storage integrated into the cap.

ECOPRO SPRAYER

Ref: 130M007

- Total capacity: 7 liters
- Useful capacity: 6 liters
- "Viton" seals
- Pressure: 3 bars
- Fiberglass lance 35 cm
- Delivered with 3 spray nozzles
- Hose length: 1.5m
- Large cone of filling
- Equipped with carrying strap



EXTREME 9P

9L

Ref: 131M002

- "Special auto" sprayer
- Total capacity: 9.5 liters
- Useful capacity: 8 liters
- "Viton" seals, resistant to acid products
- Pressure: 4 bars
- Adjustable nozzle
- Hose length: 1.7 meters
- Telescopic stainless steel lance from 70 to 130 cm
- Equipped with carrying strap
- Dimensions: 57 x 22 cm
- Weight: 2 kg



IK 12BS

Ref: 130M006

- Total capacity: 12 liters
- Useful capacity: 10 liters
- Seals: Viton
- Pressure: 3 bars
- Lance: Fiberglass
- Weight: 2.96 kg



ECO+

12L

High strength NBR seal • Excellent

quality/price ratio • Total capacity:

Ref: 133M020


13.5 liters • Useful capacity:

12.4 liters • Lance: Fiberglass

- Backpack sprayer
- High strength NBR seal
- Excellent quality/price ratio
- Total capacity: 13.5 liters
- Useful capacity: 12.4 liters
- Lance: Fiberglass
- Seals: NBR (high strength)

- Reservoir: In blown polyethylene thickness \pm 2.7 mm
- Weight: 3.51 kg
- Packaging: Sold in boxes of 4 units





SPRAYERS

PRE-PRESSURED

VENUS RANGE

VENUS SUPER - 1 L

Ref: **132M013**

- Total capacity: 1.4 liters
- Useful capacity: 1 liter
- "Viton" (FPM) seals – resistant to acid products
- Dimensions: 22 x 14 cm
- Weight: 0.51 kg



THE



FOR THE WHOLE VENUS RANGE:

- Reinforcement ring: stabilization and basic protection against visible damage.
- Graduation : easy to monitor your level.
- Adjustable nozzle: allows you to adjust the spray more or less fine.
- Adjustable directional nozzle.
- Relief valve.

VENUS SUPER - 1.5 L

Ref: **132M001**

- Total capacity: 1.87 liters
- Useful capacity: 1.5 liters
- "Viton" (FPM) seals – resistant to acid products
- Pressure: 2.6 bars
- Dimensions: 33 x 22 x 14 cm
- Weight: 0.57 kg



VENUS SUPER ALKALINE - 1.5 L

Ref: **132M007**

- Total capacity: 1.87 liters
- Useful capacity: 1.5 liters
- "EPDM" seals: resistant to alkaline products
- Pressure: 2.6 bars
- Dimensions: 33 x 14 x 23 cm
- Weight: 0.57 kg



VENUS SOLVENT - 1.5 L

Ref: **132M002**

- Total capacity: 1.87 liters
- Useful capacity: 1.5 liters
- "Viton" seals
- "Special solvents" sprayer
- Pressure: 2.6 bars
- Dimensions: 33 x 14 x 23 cm
- Weight: 0.57 kg



VENUS ACID - 1.5 L

Ref: **132M003**

- Total capacity: 1.87 liters
- Useful capacity: 1.5 liters
- "FPM" seals
- "Special acid" sprayer
- Pressure: 2.6 bars
- Dimensions: 33 x 14 x 23 cm
- Weight: 0.57 kg




SPARE PARTS for VENUS (sold in blister)



Nozzle kit for
VENUS SUPER
Ref: **132A013**

Seal kit +
lubrication
pipette for
VENUS SUPER
Ref: **132A001**


VENUS SUPER



Nozzle kit for
VENUS SUPER -
ALKALINE
Ref: **132A016**

Seal kit +
lubrication
pipette for
VENUS SUPER -
ALKALINE
Ref: **132A015**

ALKALINE VENUS



Nozzle kit for
VENUS SOLVENT
Ref: **132A008**

Seal kit +
lubrication
pipette for
VENUS SOLVENT
Ref: **132A001**

VENUS SOLVENT



Nozzle kit for
VENUS ACID
Ref: **132A007**

Seal kit +
lubrication
pipette for
VENUS ACID
Ref: **132A014**

VENUS ACID



SPRAYERS

PRE-PRESSURED

ORION RANGE

ORION PRO+ 6 L & 12 L

Ref: **132M005: 6 L**
Ref: **132M006: 12 L**

- "Viton" seals: resistant to acidic products
- Pressure: 3.4 bars
- 40 cm spear

6 L MODEL:

- Total capacity: 8.4 liters
- Useful capacity: 6 liters
- Weight: 2.15 kg

12 L MODEL:

- Total capacity: 14 liters
- Useful capacity: 12 liters
- Weight: 2.78 kg



SPARE PARTS



Telescopic lance
Ref: **132A029**



Spear 50 cm
Ref: **132A005**



Seal kit + lubrication
pipette
Ref: **132A002**



Pump
Ref: **132A003**



Handle
Ref: **132A004**



Angled nozzle
Ref: **132A006**

ORION PRO+ ALKALINE 6 L

Ref: **132M008**

- Total capacity: 8.4 liters
- Useful capacity: 6 liters
- "EPDM" seals:
- Pressure: 3.4 bars
- 40 cm lance with pressure indicator
- Equipped with carrying strap
- Weight: 2.15 kg



SPARE PARTS



Spear 50 cm
Ref: **132A019**



Seal kit + lubrication
pipette
Ref: **132A021**



Pump
Ref: **132A020**



Handle
Ref: **132A017**



Angled nozzle
Ref: **132A018**

ORION PRO+ ACID 6 L

Ref: **132M009**

- Total capacity: 8.4 liters
- Useful capacity: 6 liters
- "FPM" seals
- Special acid" sprayer
- Pressure: 3.4 bars
- 40 cm lance with pressure indicator
- Equipped with carrying strap
- Weight: 2.15 kg



SPARE PARTS



Spear 50 cm
Ref: **132A026**



Seal kit + lubrication
pipette
Ref: **132A022**




Pump
Ref: **132A023**



Handle
Ref: **132A024**



Angled nozzle
Ref: **132A025**



SPRAYERS

MANUALS

MERCURY PRO+ 360° RANGE

Color code according to the European cleanliness standard:

- **Green** : for floors
- **Blue** : for windows
- **Red** : for sanitary facilities
- **Yellow** : for disinfection

THE



- Double action spray without interruption
- Sprays 360° upside down
- Saves time: surface coverage 2 times faster
- Work ergonomics



Ref. 140M001 - 0.5 L
Ref. 140M005 - 1 L

Color Green
"Viton" seal



Ref. 140M002 - 0.5 L
Ref. 140M006 - 1 L

Color Blue
"Viton" seal



Ref. 140M003 - 0.5 L
Ref. 140M007 - 1 L

Color Red
"Viton" seal



Ref. 140M004 - 0.5 L
Ref. 140M008 - 1 L

Color Yellow
"Viton" seal



Ref. 140M014 - 0.5 L
Ref. 140M015 - 1 L

Color Dark blue ALKALINE
"EPDM" gasket

BOTTLE RANGE

BOTTLE TRANSLUCENT

- Capacity: 600 ml
- Material: HDPE
- Graduated level in ml
- Dosage graduation in %
- DIN 28/400



BOTTLE COLOR

- Capacity: 600 ml
- Material: HDPE
- Graduated level in ml
- Dosage graduation in %
- Translucent side stripe
- DIN 28/400



OPTION

Universal stainless steel wall support for 5 bottles
Ref. 160A088



Ref: 141M001

600 ml bottle
Translucent
DIN 28/400



Ref: 141M002

600 ml bottle
Color Green
DIN 28/400



Ref: 141M003

600 ml bottle
Color Blue
DIN 28/400



Ref: 141M004

600 ml bottle
Color Red
DIN 28/400



Ref: 141M005

600 ml bottle
Color Yellow
DIN 28/400



Ref: 141M024

1 liter bottle
Translucent
DIN 28/400

CUSTOMIZATION

CUSTOMIZATION & SCREEN PRINTING BY FLAMING

CONSULT US



Ref. 141A001

Cap with seal
DIN 28/400



1. Dosage graduation in %
2. Graduation in ml
3. Translucent level line





SPRAYERS

MANUALS

VELA TRIGGER RANGE



Ref. 141M006

White

- Spray head suitable for many industrial product applications
- Comfort in use
- PP material



Ref. 141M007

Green



Ref. 141M008

Blue

- Flow rate per trigger squeeze: 1.3 ml
- Seals: in Nbr
- Ring: DIN 28 mm / 400
- Tube length: 25.5 cm



Ref. 141M009

Red



Ref. 141M010

YELLOW

- Adjustable nozzle from mist jet to straight jet
- Weight: 0.035 kg

CANYON TRIGGER RANGE



Ref. 141M011

White

- High quality sprayer head
- Professional model CHS-3AN with powerful flow
- Designed for prolonged spraying of large quantities of liquids
- Intensive use: 60 liters = 100 fillings guaranteed
- Flow rate per trigger pull: 2.2 ml



Ref. 141M012

Green



Ref. 141M013

Blue

- Seals: in Nbr
- Ring: DIN 28 mm / 400
- Tube length: 24.5 cm
- Adjustable nozzle from mist jet to straight jet
- Weight: 0.038 kg



Ref. 141M014

Red



Ref. 141M015

YELLOW

THE



- Trigger designed for the same use with wet hands
- Worldwide known and recognized for its performance and resistance

TRIGGER UPISDE DOWN



Ref. 141M031

White



Ref. 141M032

Green



Ref. 141M033

Blue



Ref. 141M034

Red



Ref. 141M035

YELLOW

- Chemical resistant spray head
- The nozzle is adjustable from fine mist to direct jet
- Flow rate per trigger pull: 1 ml
- Works upside down
- Ring: DIN 28 mm / 400
- Tube length: 25.5 cm
- PE seal

THE



- Also works upside down



ALL OUR SPRAY TRIGGER ARE COMPATIBLE WITH BOTTLES
In diameter DIN 28/400 and DIN 28/410



CYCLONE CARTOOL RANGE

- Cleaning guns operating with compressed air.
- Spray a mist of compressed air with or without cleaning chemicals.
- The outgoing air is rotated with a "Tornado" effect which removes stubborn dirt particles from the surfaces to be treated with extreme force.
- Operate without water and without electricity.



The CARTOOL range is recognized by professionals for having the best cleaning systems.

They are easily recognizable thanks to the following stampings and punchings:



- Guarantees the authenticity of the manufacturer



- Guarantee the authenticity of the brand



- Mentions the pressure

4B DISTRIBUTION
EXCLUSIVE
IMPORTER OF
AUTHENTIC

CYCLONE



CLASSIC "The timeless"

Ref: 200M001 - Brushless model
Ref: 200M002 - Model with brush

- White plastic cone with or without brush (depending on model)
- "Tornado" effect: flexible hose
- Rotation power: 3000 rpm
- Tank capacity: 1 liter
- "Air mist" or "chemistry mist" selection by shut-off valve
- Air consumption: 75 L/min at 6.2 bars
- Equipped with a 360° bi-directional connection



OPTIONS & SPARE PARTS for CYCLONE CLASSIC



White cone
Ref: SPZ010002A



White cone with brush
Ref: SPZ010002B



White cone with stainless steel interior
Ref: SPZ010002C



Internal thread
Ref: SPZ010016



External pipe
Ref: SPZ010005

- Repair kit including
- 1 white cone
- 1 internal wire
- 1 external pipe
- Ref: SPZ0100RK1



BOOSTER 2

"Low pressure"

Ref: 200M003 - Brushless model
Ref: 200M004 - Model with brush

- Black plastic cone with or without brush (depending on model)
- "Tornado" effect: aluminum tube coated in Teflon (the chemistry does not stick)
- Rotation power: 3000 rpm
- Tank capacity: 1 liter
- "Air mist" selection or "chemistry fog" by shut-off valve
- Air consumption: 130 L/min at 5.5 bars
- Integrated air inlet adjustment valve
- Equipped with a 360° bi-directional connection



OPTIONS & SPARE PARTS for CYCLONE BOOSTER 2



Black cone
Ref: SPAZ020K005



Black cone with brush
Ref: SPAZ020K005B



Internal thread
Ref: SPZ020009A



Engine
Ref: SPAZ020VAK1

SUPER TURBO BOOSTER

"The super powerful"

Ref: 200M005

- Black plastic cone interior PE
- "Tornado" effect: aluminum tube
- Ball bearing
- Rotation power: 1000 to 8000 rpm
- Manual adjustment of rotational power
- Tank capacity: 1 liter
- "Air mist" selection or "chemistry fog" by shut-off valve
- Air consumption: 80 to 160 L/min at 6.2 bars
- Equipped with a fitting bi-directional 360°



- Adjustable from 1000 to 8000 rpm.
- Most powerful gun in the range.

23

OPTIONS & SPARE PARTS for CYCLONE SUPER TURBO BOOSTER



Cone
Ref: SPAZ2000A0N001



Internal thread
Ref: SPAZ2000A5N003



Engine
Ref: SPAZ2000A5N05

OPTIONS & SPARE PARTS for CYCLONE CARTOOL RANGE



Reservoir
Ref: SPZ010023A



Bi-directional connection
Ref: 200A001



Lid open
Ref: SPZ010019



Lid closed
Ref: SPZ010019A



Lid gasket
Ref: SPZ010020




Suction line with strainer
Ref: SPZ010022



AIR BLOW RANGE

VENTURI BLOW GUN 30cm DUAL

Ref: 220M006



THE



- Works in 2 possibilities:
 - venturi effect.
 - straight jet.



- High air flow venturi nozzle
- Removable



TYPHOON SUPER TURBO

Ref: 220M002

- Powerful drying
- Rapid dust removal



AIR BLOW

Ref: 220M003

- Plastic outlet
- Ideal for places difficult to access



SET OF 4 NOZZLES

Ref: 220M004

- For air blower (ref: 220M003)



BLOW PEN "AIRPEN"

Ref: 220M001

- Air flow adjustment
- Rubber tip protection





AIR BLOW RANGE



BLOW GUN BOOSTER II

Ref: 220M007

- Pressure: 6 bars
- Rotation power: 5000 rpm
- Air consumed: 130 L/min
- Weight: 736 g



BLOW GUN SUPER TURBO BOOSTER

Ref: 220M008

- Pressure: 6 bars
- Rotational power: adjustable from 1000 to 8000 rpm
- Air consumed: 150 L/min
- Weight: 730 g



VACUUM CLEANER

Ref: 200M006

- Inhale and blow simultaneously
- Operates with compressed air
- Connection hose equipped with 1/4" M connection
- Ideal for cleaning carpets, floor mats, fabrics,...
- Stainless steel interior turbine
- Comes with a conical outlet spout and a vertical suction outlet nozzle
- Air consumption: 80 to 100 L/min
- Recommended pressure: 6 bars

THE



- Fits all types of vacuum cleaners.
- Takes off and vacuums dirt simultaneously.

SPARE PARTS for VACUUM CLEANER



Tapered outlet spout
Ref: SPZ013025



Vertical outlet spout
Ref: SPZ013026



Rotary set
Ref: SPZ0200AK1





CARWASH RANGE

- Dilution and spraying of a solution using a venturi system.
- Intended for spraying bodywork cleaners on cars, trucks, etc. as well as the application of drying or finishing products.
- Attaches in place of main equivalent equipment

THE



- Avoids wasting water and washing products.
- Environmental Protection.
- Allows efficient mixing thanks to color-calibrated nozzles.
- ALL STAINLESS STEEL venturi and valve.



CAR PRO Spray System

Ref: 170M001: 15 m hose + 60 cm stainless steel lance

Ref: 170M002: 15 m hose + 1 to 2 m telescopic stainless steel lance

Ref: 170M003: 25 m hose + 60 cm stainless steel lance

Ref: 170M004: 25 m hose + 1 to 2 m telescopic stainless steel lance

Ref: 170M005: 15 m hose + 90 cm stainless steel lance

Ref: 170M006: 25 m hose + 90 cm stainless steel lance

WASHING

- Dosage: 1.4 to 16%
- Flow rate of 5 L/min
- PVDF valve
- Max temperature: 50°
- Pressure: 2 to 6 bars



CAR NET Self-drying System

Ref: 172M001: 15 m hose + 45 cm plastic lance

Ref: 172M002: 25 m hose + 45 cm plastic lance

DRYING

- Dosage: 1.4 to 14%
- Flow rate of 8 L/min
- PVDF valve
- Max temperature: 50°
- Pressure: 2 to 6 bars





DOSING SYSTEMS

Combined system CAR DUO

Ref: 171M001: 15 m hose + 60 cm stainless steel lance

Ref: 171M002: 15 m hose + 1 to 2 m telescopic stainless steel lance

Ref: 171M003: 25 m hose + 60 cm stainless steel lance

Ref: 171M004: 25 m hose + 1 to 2 m telescopic stainless steel lance

WASHING

- Dosage: from 1.4 to 16%
- Flow rate of 5 L/min
- PVDF valve
- Max temperature: 50°
- Pressure: 2 to 6 bars

DRYING

- Dosage: from 1.4 to 14%
- Flow rate of 8 L/min
- PVDF valve
- Max temperature: 50°
- Pressure: 2 to 6 bars



Spray system CAR PRO RINSE

WITH INTEGRATED RINSE

Allows you to rinse or connect another device.

Special VL

Ref: 174M001

- 15 meter hose
- Stainless steel lance 60 cm

Special PL

Ref: 174M004

- 15 meter hose
- Telescopic lance



Spray system

CAR ACID RIMS SPECIAL

Ref: 173M001

- 15 meter TRICOCLAIR reinforced PVC pipe
- Plastic lance 60 cm
- Dosage: from 1.4 to 16%
- Flow rate: 5 L/min
- PVDF valve





DOSING SYSTEMS

INOX hydraulic reel with integrated dosing kit

SHAMPOO VERSION

Ref: 640M054: CARPRO version - 11 M hose

Ref: 640M055: CARPRO version - 15 M hose

SELF-DRYING VERSION

Ref: 640M057: CARNET version - 15 M hose

Ref: 640M056: CARNET version - 11 M hose

- Stainless steel reel
- Blue PVC pipe of 11 or 15 meters depending on the version
- Maximum pressure 20 bars
- Connection kit: stainless steel braid length 2 meters •
- Viton seal
- CARPRO version lance (shampoo): length 60 cm in stainless steel
- CARNET version lance (self-drying): length 45 cm •
- Venturi: all stainless steel
- Flap: all stainless steel
- Dimensions: 456 x 414 x 97 mm
- Weight: 9 kg



1



2



3



4





DOSING SYSTEMS

ACCESSORIES & SPARE PARTS

LANCES - HANDLES - TIPS

Lances equipped with handles

Ref: 170A003 - Length: 60 cm
 Ref: 170A004 - Length: 90 cm
 Ref: 170A024 - Length: 1 to 2 meters telescopic

- Equipped with stainless steel lance
- Equipped with NITO tip



Ref: 170A025 - Length: 45 cm

- Equipped with 45 cm self-drying plastic lance
- Equipped with NITO tip



Ref: 170A039 - Length: 60 cm

- Handle equipped with 60 cm plastic lance and tip for CAR ACID



Spray handle

Ref: 170A002 - With NITO tip
 Ref: 170A001 - Without NITO tip

- Equipped with NITO tip
- Inlet/outlet: G 1/2" FF
- Max pressure: 25 bar
- Flow rate: 70 L/min
- Max temperature: 50° C
- Reinforced handle - Brown trigger



THE +

- Ball and spring in 316 L stainless steel.
- Viton seal.

Single valve for CAR PRO CAR ACID

Ref: 170A005



Double valve for CAR DUO CAR PRO RINSE

Ref: 170A006



Venturi

Ref: 170A010 - CAR PRO Ø 2.1
 Ref: 170A011 - CAR NET Ø 2.7



Suction line

Ref: 160A019

- 2.5 meters
- Ø 6 x 8 mm



Line valve

Ref: 151A002



Gray weighted strainer

Ref: 160A015



PVDF valve

Ref: 160A131 - PVDF



Blue coupler Type GARDENA

Ref: 170A020



Universal nozzle set

Ref: 150A002



Red coupler Type NITO

Ref: 170A019



Anti-twist hose Ø 12 x 17.5 mm

Ref: 170A015 - 15 meters
 Ref: 170A016 - 25 meters



TRICOLAR Hose

Ref: 170A013 - 15 meters
 Ref: 170A014 - 25 meters



1/2" Nito tip for spray handle

Ref: 160A006



3/4F tip Type GARDENA

Ref: 170A021

- Faucet nose





DOSING SYSTEMS

DILUTION AND FILLING SYSTEMS

DILUCLEAN SELECT - VERSION 4 PRODUCTS



Ref. 151M003 - Flow rate 4x8 L/min (special bottle)
Ref. 151M004 - Flow rate 4x16 L/min (bucket special)

- Economical way to dispense a wide variety of automatically diluted solutions
- Dilution controlled by suction of chemicals thanks to different calibration nozzles offering precise and constant dosing
- Dilution without mixing products
- Dosers interconnectable between them
- Better productivity and time savings
- Reinforced employee safety: eliminates the risk of contact between the user and concentrated products
- Eco-friendly
- Equipped with a connection kit
- 4 product selector



Model
4 X 8L/min

Or

Model
4 X 16L/min



DILUCLEAN - VERSION 1 PRODUCT



Ref. 151M001 - Flow rate 8 L/min (special bottle)
Ref. 151M002 - Flow rate 16 L/min (bucket special)

- Economical way to dispense a wide variety of automatically diluted solutions
- Dilution controlled by suction of chemicals thanks to different calibration nozzles offering precise and constant dosing
- Dilution without mixing products
- Dosers interconnectable between them
- Better productivity and time savings
- Reinforced employee safety: eliminates the risk of contact between the user and concentrated products
- Eco-friendly
- Equipped with a connection kit (1.5 meter stainless steel braid)



Model
8L/min

Model
16L/min





DOSING SYSTEMS

DILUTION AND FILLING SYSTEMS

PORTACLEAN



- Portable dilution system for liquid chemical concentrates
- Designed to fill bottles or vials

Color code according to the standard

European cleanliness:

- **Green** : for floors
- **Blue** : for windows
- **Red** : for sanitary facilities
- **Yellow** : for disinfection

FOR CANS



Ref. 159M005



Ref. 159M006



Ref. 159M007



Ref. 159M008

FOR BOTTLES



Ref. 159M001



Ref. 159M002



Ref. 159M003



Ref. 159M004

EVODOSE

Version 1 product

Ref. 156M001

1 product - Push button
Flow rate: 4 L



Version 4 products

Ref. 156M042

4 products + product selector
Flow rate: 4 L + 4 L + 14 L + 14 L

Ref. 156M043

4 products + product selector
Flow rate: 4 L + 4 L + 4 L + 14 L



OPTIONS



Protective cabinet
Ref. 156A001
• For cans
5 liters or
soft bags



Base for
protective
cabinet
installation
Ref. 156A002

CABINETINOX LOCKABLE

Ref. 151M006 - Cabinet with left-hand
opening door

Ref. 151M007 - Cabinet with right-hand
opening door

Ref. 151M008 - Set of 2 left and
right opening cabinets

- Lockable stainless steel cabinet for 2 5 L cans or Bag in Box connector
- Pairs perfectly with our ranges of hygiene systems or our dilution systems



CONNECTORS BAG IN BOX

Ref. 160A117

- Three connector heads of different diameters
- Connection to dilution bags
- Comes with 10 rings different colors for easy organization of your dilutions





DOSING SYSTEMS


DILUTION AND FILLING SYSTEMS

FILL CLEAN



Ref. 164M001 - Version without cover

Ref. 164M002 - Version with hood



- Dimensions: 28 x 31 x 12 cm
- Frame weight: 1.1 kg
- Operating temperature: 50 C max
- Operating pressure: 5 bars max
- Health protection: NF double check valves
- Flow rate: 17 L/min
- Black washing hose 5 meters long
- Plastic filling gun Ø 20 mm

TOWER CLEAN



Ref. 780M001

- Reduction in the filling time of scrubber washers
- Automatic mixing of the product (water + chemistry) by system Venturi
- Automatic filling stop by float valve
- No direct contact chemistry and user
- Chassis adapted to accommodate cans up to 300 L
- Works without air and without electricity
- Total volume: 200 L
- Dimensions: 79 x 79 x 205 cm
- Dilution range: 0.3 to 14% (11 calibration nozzles)
- Drain time: About 100 L/min
- Equipped with filter and protection system



HYDROMASTER

- Allows the dilution of cleaning or disinfectant products for filling large containers
- High flow dilution for filling tanks, bins or drums
- Venturi system for wall mounting or direct on chemical drums
- Uses water power only, no electricity and a simple water connection is required
- High quality, materials resistant to concentrated chemicals
- Increased employee productivity

Ref. 157M001

- Dosage 0.25 to 18% (depending on nozzle used)
- Flow rate: 18 L/min

Ref. 157M002

- Dosage 0.9% to 50% (depending on nozzle used)
- Flow rate: 9.5 L/min

Wall mounting



Nozzles

Barrel mounting





DOSING SYSTEMS

DOSICLEAN MANUAL DOSING PUMPS



Ref. 710M012 - Anti-drip ALU pouring spout

- Uniquely designed dosing pump to dispense cleaning chemicals into sinks, buckets or any other cleaning container
- Resistant to most chemicals due to quality seals
- Adjustable dose setting 15, 22 or 30 ml per pressure
- Precise and constant dosing even with viscous products
- Delivered with a universal quick installation plate incorporating most of the fixing points of pumps on the market



MANUAL DOSING PUMPS

Ref. 715M004

- 5ml



Ref. 715M003

- 10ml



Ref. 715M001

- 25ml



Drum pump YELLOW

Ref. 710M020

- Polypropylene pump
- Suitable for: Water, alcohol, kerosene, lubricant, acid, alkaline, etc.)
- 304 stainless steel axle
- "Viton" seals
- Max flow rate 19 L/mm - 55 actions/min
- Total height 1370 mm
- Male fixing diameter 2nd gas pitch (generally metal drums)

• Polypropylene pump •
Suitable for:

Water, alcohol, kerosene,
lubricant, acid, alkaline, etc.)

- 304 stainless



Drum pump Black

Ref. 710M021

- PPS / RYTHON pump
- Suitable for: Water, alcohol, kerosene, lubricant, high concentration acid, high concentration alkaline, etc.)
- 316 stainless steel shaft
- PTFE seals
- Max flow rate 19 L/mm - 55 actions/min • Total
- Height 1370 mm
- Male fixing diameter

Suitable for:



Drum pump

Ref. 710M002

- Large model
- Material: Polyethylene resistant to chemicals
- For 200 liter drums
- For plastic drums: provide adapter sold separately



Adapters for plastic drums

Ref. 710A001

- Plastic drum from 30 to 200 liters
- Ø M 2" S 56 x 4 - F 2" no gas



Ref. 710A002

- Plastic drum from 30 to 200 liters
- Ø M 2" S 70 x 6 - F 2" no gas



Ref. 710A003

- Plastic drum from 30 to 200 liters
- Ø M 2" S 60 x 6 - F 2" no gas





DOSING SYSTEMS

HYGIENE STATIONS AND CENTERS

Standard equipment

- Anti-pollution valve equipped with double NF health protection valves
- Brass anti-shock gun
- Stainless steel holder for standard 5 liter can
- EASYCLEAN washing hose - 20 bars Ø 12 x 20
- Stainless steel braid length 1.5 meters
- Unbreakable stainless steel flap
- Pack of 14 calibration nozzles



2 MODELS IN 1!


THE STATION CAN BE TRANSFORMED
IN CENTRAL THANKS TO ITS HOOD
ADAPTABLE



JET CLEAN RANGE
OPEN MODEL



ELIT CLEAN RANGE
CLOSED MODEL WITH HOOD




1 product

2 products

COVERLESS MODEL

Ref. 163M051 - Station 1 product - 10 m hose
Ref. 163M007 - Item 1 product - 15 m hose
Ref. 163M008 - Item 1 product - 20 m hose
Ref. 163M009 - Item 1 product - 25 m hose
Ref. 163M050 - Station 2 products - 10 m hose
Ref. 163M010 - Station 2 products - 15 m hose
Ref. 163M011 - Station 2 products - 20 m hose
Ref. 163M012 - Station 2 products - 25 m hose



1 product

2 products

MODEL WITH HOOD

Ref. 165M050 - Central unit 1 product - 10 m hose
Ref. 165M007 - Central unit 1 product - 15 m hose
Ref. 165M008 - Central unit 1 product - 20 m hose
Ref. 165M009 - 1 product unit - 25 m hose
Ref. 165M052 - Central unit 2 products - 10 m hose
Ref. 165M010 - 2 product central unit - 15 m hose
Ref. 165M011 - 2 product central unit - 20 m hose
Ref. 165M012 - 2 product central unit - 25 m hose

POSSIBLE VARIANTS: CONSULT US

Variant No. 1: Available in version with plastic or eco gun

Variant No. 2: Available in version with 10 liter canister holder


Variant No. 3: Available in version with CA type disconnecter





DOSING SYSTEMS

ADVANTAGES & STRENGTHS





INOX hygiene unit 1 product

Ref. 165M062

- 1 lockable stainless steel cabinet for 5l container or bag
- 1 plastic anti-shock gun
- 1 double flap valve NF for health protection
- 1 Easy Clean hose of 10m, 15m, 20m or 25m



Reel with integrated dosing kit

Ref. 640M050 - 11M hose

Ref. 640M051 - 15M hose

Equipped with:

- 1 stainless steel reel
- 1 dosage kit
- 1 pipe of 11 or 15 meters
- 1 brass gun
- 1 5 liter container holder
- EPDM gasket



Stainless steel mobile trolley for hygiene stations and centers

Ref. 160A080

- Adapts to 5, 10 and 20 liter cans
- Dimensions: 54 x 55 x 104 cm
- Weight: 10 kg



5 L can



20 L can



10 L can



Double simultaneous suction hygiene unit

Ref. 165M052.DUO - 10 M hose

Ref. 165M010.DUO- 15 M hose

Ref. 165M011.DUO- 20 M hose

Ref. 165M012.DUO- 25 M hose

Equipped with:

- 2 5 L stainless steel container supports
- 1 brass anti-shock gun
- 1 double flap valve NF for health protection
- 1 Easy Clean hose 10m, 15m, 20m or 25m



AC valve

Ref. 160A033



Double valve AR NF valves

Ref. 160A052



Single venturi

Ref. 160A034



Dual venturi

Ref. 160A053



Pack of 10 green injectors

Ref. 160A062





DOSING SYSTEMS

ACCESSORIES & SPARE PARTS

High flow plastic anti-shock gun

Ref. 160A002 - Not equipped - F ½ turning
Ref. 160A003 - Equipped with NITO tip (Ref. 160A006)

- FF input rotating ½" G
- Max pressure: 12 bars
- Flow rate: 50 L/min
- Jet adjustment at the trigger
- Impact-resistant plastic housing
- Equipped with 3 silicone protection rings
- Rotating connection at the inlet
- Weight: 440 g



High flow brass anti-shock gun

Ref. 160A004 - Unequipped - F ½
Ref. 160A005 - Equipped with NITO tip (Ref. 160A006)

- Inlet/outlet: FG ½"
- Max pressure: 25 bars
- Flow rate: 70 L/min
- Max temperature: 50° C
- Reinforced handle
- Weight: 920 g



Kit of repair

Ref. 160A086

- For brass anti-shock gun



Nito tip 1/2"

Ref. 160A006

- For pistol



ECO gun

Ref. 160A085 - Equipped with NITO tip (Ref. 160A006)



Nito coupler 1/2"

Ref. 160A007

- Ø 12 fluted connection for pipe



Food grade hose EASY CLEAN

Ref. 160A043 - Length 10 m
Ref. 160A040 - Length 15 m
Ref. 160A041 - Length 20 m
Ref. 160A042 - Length 25 m

- 20 bar
- Ø 12 x 20



Hood 1 product

Ref. 160A063 - 1 product
Ref. 160A064 - 2 products



Frame

Ref. 160A035



Canister holder

Stainless steel

Ref. 160A017 - 5 L
Ref. 160A018 - 10 L



Stainless steel support for washing hose

Ref. 160A089



Pouch of nozzles universal

Ref. 150A002



Line suction

Ref. 160A019



Weighted strainer YELLOW

Ref. 160A073



Stainless steel braid

Ref. 160A016



PVDF valve Version 1 product

Ref. 160A130



PVDF valve Version 2 products

Ref. 160A132



Flapper stainless steel non-return

Ref. 170A022.1 - Viton
Ref. 170A022.2 - EPDM



Line valve

Ref. 151A002





REELS

AUTOMATICS

HYDRAULIC RANGE

Polymer models

Ref: 640M001

- Function: **for hydraulic passage**
- Equipped with swivel support
- Housing material: polymer
- Hose length: 18 meters
- Hose material:
 - PVC reinforced with polyester fibers
- Maximum pressure: 6 bars
- Weight: 10 kg



Polymer models

Ref: 640M002

- Function: **for hydraulic and pneumatic passage**
- Equipped with swivel support
- Housing material: polymer
- Hose length: 16 meters
- Hose material: ultra-resistant KPU
- Maximum pressure: 20 bars
- Weight: 10 kg



Models

“Without hose”

Ref: 640M012 - Capacity 15 meters
 Ref: 640M013 - Capacity 20 meters
 Ref: 640M014 - Capacity 35 meters

- Function: **for hydraulic passage**
- Shell material: stainless steel



ABS model

Ref: 640M003

- Function: **for hydraulic and pneumatic passage**
- Support material: Epoxy lacquered steel
- Flask material: ABS
- Hose length: 15 meters
- Hose material: ultra-resistant KPU
- Maximum pressure: 20 bars
- Weight: 10 kg



ABS / Stainless steel model

Ref: 640M010

- Function: **for hydraulic passage**
- Housing material: stainless steel / ABS
- Hose length: 15 meters
- Hose material: Food grade PVC
- Maximum pressure: 20 bars
- Weight: 10 kg



EASY model

Ref: 640M016

- Function: **for hydraulic passage**
- Housing material: Stainless steel
- Hose length: 15 meters - Ø 12 x 20
- Hose material: Food grade PVC
- Max pressure: 20 bars
- Weight: 9 kg





REELS

AUTOMATICS

HYDRAULIC RANGE

STAINLESS STEEL

Ref: 640M009 - Equipped with 15 m hose and NITO coupler
 Ref: 640M004 - Equipped with 20 m hose and NITO coupler
 Ref: 640M011 - Equipped with 35 m hose and NITO coupler

• Function: **for hydraulic passage** •

Support material: stainless steel

• Pipe material: thermoclean AL20 food grade PVC •

Maximum pressure: 20 bars

Hose for reels EASYCLEAN AL20 Ø 12 x 20

Ref: 640A005 - 15 meters equipped with NITO coupler

Ref: 640A006 - 20 meters equipped with NITO coupler

Ref: 640A007 - 35 meters equipped with NITO coupler



MANUAL STAINLESS STEEL

Ref: 640M018 - With 20 m hose

Ref: 640M017 - Without pipe

Bracket material: stainless steel

• Maximum pressure: 20 bars



OPTIONS - Swivel Brackets

Ref: 640A001

Ref: 640M003

Ref: 640M010

Ref: 640M016



Ref: 640A003

Ref: 640M009

Ref: 640M012



Ref: 640A004

Ref: 640M011

Ref: 640M014



Ref: 640A002

Ref: 640M004

Ref: 640M013



PNEUMATIC RANGE

Pneumatic reel

Ref: 640M005

• Function: **for pneumatic passage**

• Equipped with swivel bracket

• Material: Epoxy painted steel

• Hose length: 15 meters

• Hose material:

polyurethane

• Integrated swivel bracket

• Weight: 5.9 kg



Pack of 5 Air fittings

Ref: 640A011

• For pneumatic reel

Ref: 640M005





DOSERS

FOR DISHWASHER

MASTER CLEAN RANGE



DOSERS:	WASHING	RINSING
SPEED :	6 L/h	2 L/h
PRESSURE :	0.1 bar	3.5 bar
TUBE :	Santoprene	Silicone

- Peristaltic dosers
- ABS housing
- IP65 protection
- Insulation class 2 (no need for earth connection)
- Quick and easy assembly thanks to its fixing plate
- Connection of circuits using double Faston lugs (on solenoid valve)
- Rapid replacement of tubes
- Pump equipped with a long motor shaft and a front cover with ball bearing (through shaft support) reducing mechanical wear on tube and motor



MASTERCLEAN L + DI

Wash With initial dose

Ref. **180M004**

- Speed and flow adjustable by potentiometer
- Setting the initial dose (first tank charge)
- 230 Vac power supply
- ON/OFF switch
- Dimensions (hxxwxd): 135 x 86 x 106 mm



MASTERCLEAN R

Rinsing

Ref. **180M005**

- Adjustable speed and duration
- Speed and duration adjustment by potentiometer
- 230 Vac power supply
- ON/OFF switch
- Dimensions (hxxwxd): 135 x 86 x 106 mm



MASTERCLEAN LS

Washing
With conductivity probe

Ref. **180M006**

- With digital adjustment (digital screen)
- Automatic adjustment of dilution by calculation of the probe conductivity
- Password
- Overdose and dry running alarm
- Usage statistics
- 230 Vac power supply
- ON/OFF switch
- Dimensions (hxxwxd): 135 x 86 x 106 mm



MASTERCLEAN LR + DI

Duo Wash Rinse
With Initial Dose
230 Vac

Ref. **180M007**

- Adjustable speed (wash and rinse)
- Adjustment by potentiometer in speed and time
- 230 Vac power supply
- Individual operation (1 ON/OFF switch per pump)
- Dimensions (hxxwxd): 170 x 190 x 120 mm



DOSERS

FOR DISHWASHER

MASTERCLEAN LR + DI

DUOL BEFORE GERIN AGE BEFORE ECDLOSEINITIAL 2 4 V

Ref: **180M008**

- Adjustable speed (washing and rinsing)
- Speed and time adjustment by potentiometer
- 24 V power supply
- Individual operation (1 ON/OFF switch per pump)
- ABS housing
- IP65 protection
- Standard: CE
- Dimensions (hwxwd) : 170 x 190 x 120 mm



MASTERCLEAN LRS

DUO WASH RINSE WITH 24V CONDUCTIVITY PROBE

Ref: **180M009**

- With digital adjustment (digital screen)
- Automatic adjustment of the dilution by calculation of the probe conductivity
- Password Overdose and empty operation alarm
- Usage statistics
- 24/230 Vac power supply
- Individual operation (1 ON/ OFF switch per pump)



SPRARE PARTS



Ref. **180A001**

Stainless steel bulkhead Pass Non-return valve
Stainless steel 4x6
(Stainless steel injector)



Ref. **180A002**



Ref. **180A004**

Peristaltic tube
Santoprene 6 x 10
with 4 x 6 fittings
(Washing)



Ref. **180A005**

Peristaltic tube
Silicone 3 x 8
with 4 x 6 fittings
(Rinsing)



Ref. **180A006**

Lexan window



Ref. **180A008**

Peristaltic tube
Santoprene 6 x 10
seamless
(Washing)



Ref. **180A009**

Peristaltic tube
Silicone 3 x 8
seamless
(Rinsing)



DOSERS

CONTACTLESS DISPENSERS

CONTACTLESS distributor

Free-standing version

WORKS AUTOMATICALLY AND CONTACTLESS


Ref: **800M014**

- Delivers a dose of gel, hydro-alcoholic solution and soap by automatic hand detection by infrared cell
- Tank capacity: 1.1 liters
- Dose: 1.8 to 2.2 ml depending on the chemistry
- Dimensions of the case: 23 x 14 cm
- Foot height: 91 cm
- Weight: 3.3 kg
- Supplied with 1 wall mounting kit + 1 foot with base + 1 drip catcher + 4 LR6 batteries
- Standard: CE

THE



- Automatic.
- Without contact.



Internal location for 4
LR6 (AA) batteries
included

1.1 liter tank capacity



CONTACTLESS distributor

Wall version

WORKS AUTOMATICALLY AND CONTACTLESS

Ref: **800M015**

- Delivers a dose of gel, hydro-alcoholic solution and soap by automatic hand detection by infrared cell
- Tank capacity: 1.1 liters
- Dose: 1.8 to 2.2 ml depending on the chemistry
- Dimensions of the case: 23 x 14 cm
- Weight: 0.9 kg
- Supplied with 1 wall mounting kit + 4 LR6 batteries
- Standard: CE

THE



- Automatic.
- Without contact.





ELECTRIC FOGGERS

DP1200

Ref. 390M007

- Tank capacity: 5 liters
- Voltage: 220 V / 50 Hz
- Power: 1200 W
- Nebulization capacity: 420 ml/min
- Nebulization distance: 9 to 12 meters
- Particle size: 5 to 15 microns
- Temperature working: 0 to 40 °C
- Humidity: ≥ 90%
- Weight: 6.4 kg

THE



- Disinfection and treatment of air in any place or room
- Treatment and Sanitation in the agricultural environment (greenhouses, etc.)
- Air disinfection and Sanitation in the medical and hospital environment



COMBATTOR

Ref. 390M008

- Faster spraying thanks to the 3 nebulization heads
- Valve for flow regulation from 0 to 100%
- Spraying up to 15 meters
- Tank capacity: 4 liters
- Power: 1000 W 220 V - 110 V
- Nebulization capacity: 0-19 L/h
- Particle size: 7 to 30 micrometers
- Nebulization distance: 15 meters
- Weight: 3.9 kg

THE



- Disinfection, air treatment and prevention of epidemics in homes, public places, restaurants, stores, warehouses, schools, hospitals, etc.
- Treatment and sanitation in agricultural settings (vegetable greenhouses, etc.)



MAGIC DORSALE

Autonomous

Ref. 390M014

- Tank capacity: 10 liters • Power: 500 W 24 V
- Particle size: 5 - 50 microns
- Nebulization distance: 5 - 8 meters
- Lithium battery: 24 V - 5 Ah
- Working time: 25 - 45 min
- Weight: 6.7 kg

THE



- Lithium-ion battery equipped with high performance motors
- Ideal for airports, docks, hotels, restaurants, vehicles, etc.
- Supplied with straps



EXCELLOR

Autonomous on Lithium-ion battery

Ref. 390M011

- Flow rate: 0 to 2 L/h
- Type of product: Aqueous or oilseed base
- Motor power: 165W 24 V
- Working time: 1h30
- Vaporization: 10 - 50 micron (adjustable)
- Tank capacity: 5 liters
- Weight : 4.5 kg

THE



- Battery operated
- Multi-purpose
- Treats 4000 m3 with 4 liters
- Adjustable flow rate
- Range: 6 to 9 meters





HIGH PRESSURE SPRAYERS

SINGLE PHASE

MONO SPRAYER

Ref: **110M001**: Version on mobile trolley

- Polypropylene pump
- "Viton" seals: resistant to acid products
- Pressure: 15 bars
- Flow rate: 650 L/H
- Motor: 230V - 50 hertz
- Power: 0.52 HP - 1400 rpm
- Hose length: 25 meters •
- 60 cm lance
- equipped with a flat jet nozzle
- All-terrain inflatable wheels



THE



- Resistant to acid products
- Compact and light.
- Easily transportable.



HIGH PRESSURE

HP SPRAYER

Ref: **120M001**

- Pressure: 150 bars
- Flow rate: 500 L/H
- Voltage: 230 V - 50 hertz
- Rotation : 2800 rpm
- Hose length: 8 meters
- Integrated reel
- "Multi-jet" lance
- "Roto-nozzle" lance »
- Dimensions: L = 34 cm / D = 33 cm / H = 87 cm
- Weight: 25 kg

THE



- Compact machine.
- Easy to use outdoors with its big wheels.



POLE TELESCOPIC HP

Ref: **115M001**

- Allowable pressure: 275 bars
- Telescopic pole from 2 to 5.5 meters
- Equipped with HP spray handle
- Weight: 3.9 kg



- Equipped with :
 - a red nozzle (straight jet)
 - a green nozzle (flat jet)





FOAMER

HIGH PRESSURE

HP Foam Kit "New version"

Ref: **300M001**

- Foam cannon with 1 liter tank
- HP gun equipped with coupler
RW (PUSH PULL)
- Allowable pressure: 180 bars
- Nominal pressure: 160 bars
- Flow rate: 20 L/min
- Temperature: 60°C



Lance Foam Kit double action

Ref: **300M019**

- Complete kit with lance innovative dual function, a professional gun and an injector with filter
- Allowable pressure: 200 bars
- Flow rate: 15 L/min
- Max temperature: 60°C
- Length of the lance: 36 cm
- Nozzle Ø: 2.1 mm

ALLOWS TO SKIP TO THE
FUNCTION FOAM WITH RINSE
FUNCTION



HP Foam Cannon

Ref: **300M002**

- Produces a dry, thick foam
- Tank capacity: 1 liter
- Inlet Ø: F ¼"
- Allowable pressure: 180 bars
- Max flow: 20 L/min
- Max temperature: 60°C
- Nozzle Ø: 1.25 mm



FITTINGS



M x M brass
adapter
Ø ¼" G
Ref: **300A001**



Brass adapter
bailillonette
KARCHER type
Ø F ¼" G
Ref: **300A002**



Plastic adapter
type
KARCHER
Ø F ¼" G
Ref: **300A003**



Type brass
adapter
ALTO
Ø F ¼" G
Ref: **300A004**



Stainless steel tip
PUSH PULL -
Ø F ¼" G
Ref: **300A005**



M x M connection
Ø ¼" G
x 22 x 1.5
Ref: **300A006**



Connection
rotating M x F
Ø ¼" G
x 22 x 1.5
Ref: **300A007**



Coupler Ø
M ¼" G
x PUSH PULL
Ref: **300A008**



Coupler M Ø ¼"
G x PUSH
SWEATER
Ref: **300A016**



Swivel
connection F
Ø ¼" G x 22 x 1.5
Ref: **300A017**



Connection
Karcher
Easylock ¼
Rotating male
Ref: **300A018**

HP LS12 foam cannon

Ref: **300M012 - Without connection**

Ref: **300M013 - With fittings**

- 2 liter tank
- Nozzle Ø: 2.5 mm
- Allowable pressure 200 bars
- Max temperature: 60°C
- Max flow: 15 L/min
- Weight: 0.630 kg
- Inlet Ø: F ¼"
- Connection (Ref: 300A006)
- Swivel connection (Ref: 300A007)



HP LS10 foam cannon

Ref: **300M021**

- Produces a high quality, creamy foam
- Spraying of product by venturi effect
- Very homogeneous air/water mixture





FOAMER

HYDRAULIC

Foamer Gun

1.4L model

Ref: 320M002

- The combination of low pressure water and chemistry generates a liquid and visual foam
- Generates foam thanks to the venturi integrated into the lance.
- Tank capacity: 1.4 liters
- Concentration adjustment using colored nozzles
- Connects to the water garden hose with "type" connection Gardena »
- Allowable water pressure: 6 bars

THE



- Allows spraying by unclipping the lance.
- Wide dilution range thanks to 14 color nozzles.



Foamer Gun

2.8L model

Ref: 320M003

- The combination of low pressure water and chemistry generates a liquid and visual foam
- Generates foam thanks to the venturi integrated into the lance.
- Tank capacity: 2.8 liters
- Concentration adjustment using colored nozzles
- Connects to the water garden hose with "type" connection Gardena »
- Allowable water pressure: 6 bars

THE



- Allows spraying by unclipping the lance.
- Wide dilution range thanks to the 14 nozzles colors.



FOAM kit with

stainless steel support and pipe

Ref: 320M010 - 2.8 L model with 5 meters of hose + stainless steel holder

Ref: 320M011 - 2.8 L model with 10 meters of hose + stainless steel holder

Ref: 320M012 - 2.8 L model with 15 meter of hose + stainless steel holder

Ref: 320M013 - 1.4 L model with 5 meters of hose + stainless steel holder

Ref: 320M014 - 1.4 L model with 10 meters of hose + stainless steel holder

Ref: 320M015 - 1.4 L model with 15 meters of hose + stainless steel holder

- The combination of low pressure water and chemistry generates liquid foam and visual
- Generates foam thanks to the venturi integrated into the lance.
- Concentration adjustment using color nozzles
- Connects to the water garden hose with "NITO" type connector
- Allowable water pressure: 6 bars





FOAMER

AUTONOMOUS

FOAM SPRAYER 2 L

Ref: **320M007**

- The FOAM SPRAYER is equipped with a battery lithium
- 2 liter tank with graduation to view the level
- Generates a dense, thick foam ideal for applications in sectors such as: automotive, hygiene, agricultural and food industry.
- Produces a dense and thick foam
- Charging port: Type-C charger
- LED power indicator
- Autonomy: 40 min
- Weight: 0.88 kg



NON-STOP FOAM PRODUCTION ON BATTERY



PRE-PRESSURED

FOAMER 2 L VENUS

Ref: **340M002 - SUPER version**

Ref: **340M003 - ALKALINE version**

Ref: **340M008 - ACID version**

- "Special foam" sprayer
- Total capacity: 2.3 liters
- Useful capacity: 1.5 liters
- Pressure: 2.2 bars
- Reinforcement ring: stabilization and basic protection against visible damage
- Product level: easy to monitor your level
- Relief valve
- Dimensions: 39 x 14 x 22 cm
- Weight: 0.6 kg



FOAMER 6 L ORION ACID

Ref: **340M005**

- "Special foam" sprayer
- Total capacity: 6 liters
- Useful capacity: 5 liters
- Seals: Viton acid resistant
- Dimensions: 59 x 22 x 26 cm
- Weight: 2.61 kg



FOAMER 6 L ORION

Ref: **340M004**

- "Special foam" sprayer
- Total capacity: 6 liters
- Useful capacity: 5 liters
- Pressure: 3.5 bars
- "EPDM" seals: resistant to alkaline products
- 40 cm lance with pressure indicator
- Comes with 3 spray nozzles:
- Equipped with strap
- Dimensions: 59 x 22 x 26 cm
- Weight: 2.61 kg





FOAMER

TIRES

- Foamer and/or professional sprayer for detergents, liquid disinfectant
- Drain valve
- Certified with control pressure gauge
- Adjustable and lockable solution flow rates
- pressure relief valve integrated into the cap
- Adjustable air regulator

DELIVERED WITH

- 60 cm stainless steel lance with fitted handle with spring and stainless steel ball
- Foam nozzle
- Plastic spray nozzle
- Hose 7.5 meters (24 L) and 10 meters (50 and 100 L)



THE



- They can be used as a foamer and as a sprayer, simply close the air inlet valve
- Delivered on a trolley for better maneuverability
- Secure thanks to its safety valve integrated into the cap
- Hygienic with white wheels, avoids traces of black rubber

FOAMER

AISI 304 STAINLESS STEEL

25L

Ref: **355M002**

- Total capacity: 25 liters
- Useful capacity: 19 liters
- Max pressure: 8 bars
- Hose: 7.5 meters
- White wheels (food grade) Ø125 mm
- Dimensions (L x D x H): 37 x 30 x 80cm
- Weight: 15 kg

FOAMER

AISI 304 STAINLESS STEEL

50L

Ref: **355M003**

- Total capacity: 50 liters
- Useful capacity: 38 liters
- Max pressure: 8 bars
- Hose: 10 meters
- White wheels (food grade) Ø 200 mm
- Dimensions (L x D x H): 40 x 44 x 107cm
- Weight: 24kg

FOAMER

AISI 304 STAINLESS STEEL

100L

Ref: **355M004**

- Total capacity: 100 liters
- Useful capacity: 76 liters
- Max pressure: 8 bars
- Hose: 10 meters
- White wheels (food grade) Ø 200 mm
- Dimensions (L x D x H): 60 x 57 x 100cm
- Weight: 36 kg



Foamer with integrated compressor 25L

Ref. **355M005**

- AISI 304 stainless steel tank
- Electric compressor
- Voltage: 220 V / 50Hz
- IP 54 protection
- Max pressure: 8 bars
- Stainless steel lance: 70 cm
- Hose length: 10 meters
- White wheels: food grade
- Soundlevel: 90 Db
- Weight : 39 kg



On demand

Foamer with integrated compressor 50L

Ref. **355M006**

- AISI 304 stainless steel tank
- Electric compressor
- Voltage: 220 V / 50Hz
- IP 54 protection
- Max pressure: 8 bars
- Stainless steel lance: 70 cm
- Hose length: 10 meters
- White wheels: food grade
- Soundlevel: 90 Db
- Weight : 44 kg



On demand



FOAMER

TIRES

FOAM GUN

Ref: **310M001**

- The combination of compressed air and chemistry generates an ultra dry and thick foam
- Tank capacity: 1 liter • Black plastic foam block
- Supplied with 2foaming nozzles (small and large widths)
- Selection air" via shut-off valve
- Air consumption 140 l/min at 6.2 bars
- Integrated air inlet adjustment valve
- Operates without water and without electricity



FOAMER PAINTED STEEL 25L

Ref: **350M002**

- Total capacity: 25 liters
- Useful capacity: 19 liters
- Max pressure: 8 bars
- Hose: 7.5 meters
- Wheels Ø125 mm
- Dimensions (Lx D x H): 37 x 30 x 80cm
- Weight: 13 kg

FOAMER PAINTED STEEL 50L

Ref: **350M003**

- Total capacity: 50 liters
- Useful capacity: 38 liters
- Max pressure: 8 bars
- Hose: 10 meters
- Wheels Ø 200 mm
- Dimensions (Lx D x H): 40 x 44 x 107cm
- Weight: 22 kg

FOAMER PAINTED STEEL 100L

Ref: **350M004**

- Total capacity: 100 liters
- Useful capacity: 76 liters
- Max pressure: 8 bars
- Hose: 10 meters
- Wheels Ø 200 mm
- Dimensions (Lx D x H): 60 x 57 x 100cm
- Weight: 30.5 kg



49

Foam cannon mobile 70 L

Ref: **355M010**

- Total capacity: 70 liters
- Max pressure: 6 bars
- Hose: 20 meters
- Distance from foam:
 - 30° nozzle: 70 - 100 cm
 - Without nozzle: 3 - 5 meters
- Dimensions: 60 x 43 x 93 cm
- Weight: 22 kg



Foam cannon mobile 130 L

Ref: **355M011**

- Total capacity: 130 liters
- Max pressure: 6 bars
- Hose: 20 meters
- Distance from foam:
 - 30° nozzle: 70 - 100 cm
 - Without nozzle: 3 - 5 meters
- Dimensions: 60 x 64 x 93 cm
- Weight: 26 kg





WASHING SLEEVES

WITH WATER PASSAGE

Telescopic ALU handles

Ref: 400M001 - Length 3 meters (2 x 1.5)

Ref: 400M002 - Length 2.4 meters (2 x 1.2)

- Professional washing handle with water passage
- Material: aluminum
- Length (2 versions):
 - 3 meters (2 x 1.5 meters - telescopic)
 - 2.4 meters (2 x 1.2 meters - telescopic)
- External tube: Ø32
- Internal tube: Ø 25
- Threaded metal tip for brush
- ON/OFF shut-off valve



Ref: 400M003 - Length 1.8 meters (2 x 0.9)

- Professional washing handle with water passage
- Material: aluminum
- Length: 1.8 meters (2 x 0.9 meters - telescopic)
- External tube: Ø 25
- Internal tube: Ø22
- Threaded metal tip for brush
- Equipped with a shut-off valve



THE



- Equipped with ON/OFF tap with "Gardena type" tip
- Ultra resistant



Covered handle

Ref: 400M004 - Length 1.8 meters (2 x 0.9)

- Professional washing handle with water passage
- Material: sheathed aluminum
- Length: 1.8 meters (2 x 0.9 meters - telescopic)
- External tube: Ø 25
- Internal tube: Ø 22
- Foam sheath: Ø 35
- Threaded metal tip for brush
- Equipped with shut-off valve

THE



- Anti-slip sheath allowing a good grip.





WASHING SLEEVES

WITHOUT WATER PASSAGE

Telescopic fiber handles

Ref: **400M006** - Length 3 meters (2 x 1.5)

Ref: **400M007** - Length 2.4 meters (2 x 1.2)

- Professional washing handle
- Material: fiberglass and aluminum
- Length (2 versions):
 - 3 meters (2 x 1.5 meters - telescopic)
 - 2.4 meters (2 x 1.2 meters - telescopic)
- External fiberglass tube: Ø 32



THE



- Professional washing handles equipped with a metal threaded tip to attach the brushes.



Fixed fiber handle

Ref: **400M008** - Length 1.4 meters

- Professional washing handle
- Material: fiberglass
- Length: 1.4 meters fixed
- Tube: Ø 25
- Threaded metal tip for brush



Telescopic ALU handle

Ref: **400M009** - Length 1.8 meters (2 x 0.9)

- Professional washing handle
- Material: aluminum
- Length: 1.8 meters (2 x 0.9 meters - telescopic)
- External tube: Ø 25
- Internal tube: Ø 22
- Threaded metal tip for brush





WASHING BRUSHES AND SQUEEGEES

WITH WATER PASSAGE

THE



- High quality washing brushes resistant to cleaning products.
- High density hair quality.
- Extra ultra soft: does not scratch
- All brushes and squeegees fit all wash handles



Cover for 25 cm brushes

Ref: **410M018**

- Adapts to all types of 25 cm brushes
- Resistant to aggressive products
- Allows you to accumulate a large quantity of soapy water and foam for perfect gliding on your bodywork



Single sided brush Length 25cm

Ref: **410M002**

- Length: 25 cm
- 1 side of fibers



Two-sided brush Length 25cm

Ref: **410M004**

- 2 fiber faces



Two-sided brushes

Ref: **410M005** - Length 33 cm

Ref: **410M006** - Length 40 cm

- 2 fiber faces



Tri-sided brush Length 25cm

Ref: **410M009**

- Length: 25 cm
- 3 fiber faces



Four-sided brush Length 25cm

Ref: **410M010**

- Length: 25 cm
- 4 fiber faces





WASHING BRUSHES AND SQUEEGEES

WITH WATER PASSAGE

Single sided brush

Hard bristles

Length 25cm

Ref: 410M003



- Length: 25 cm
- 1 side of fibers
- Ultra hard fibers
- Ideal for cleaning floors, boat decks, agricultural environment, roofs,...

Two-sided brush

Hard bristles

Length 25cm

Ref: 410M008



- Length: 25 cm
- 2 fiber faces
- Ultra hard fibers
- Ideal for cleaning floors, boat decks, agricultural environment, roofs,...

Two-sided brush

Special acid

Length 25cm

Ref: 410M007



- Length: 25 cm
- 1 fiber faces
- Tetalon fibers
- Resists aggressive and acidic products
- Resists hot water (100°C)

Sponge brush

Length 25cm

Ref: 410M011



- Length: 25 cm
- Great ability to absorb water and chemicals
- Anti-scratch
- Cleaning efficiency thanks to the "wave" surface

Two-sided nylon

brush Length 25cm

Ref: 410M017



- 2 fiber faces

Wet Squeegee

Ref: 410M014



- Length: 36 cm
- 1 blade for washing
- 1 blade for drying





HAND BRUSHES AND SQUEEGEES

Brush Special rims

Ref: 440M002

- Length: 20 cm
- High density hair quality
- Extra and ultra soft flowering



Brush Special rims

Ref: 440M003

- Length: 50 cm
- High density hair quality
- Extra and ultra soft flowering



Brush Special rims

Ref: 440M004

- Length: 26 cm
- 2 hoops
- Very resistant



Bottle brush Special rims

Ref: 440M019

- Length: 45 cm



Brush Special carpets

Ref: 440M006

- Ideal for carpets, rugs, seats, etc.
- Dimensions: 16 x 6.5 x 4.5 cm



Brush Special handle carpets

Ref: 440M007

- With handle
- Dimensions: 16 x 6.5 x 4.5 cm



Brush Special anti-animal hair

Ref: 440M008

- Length: 26 cm



Brush Special handle anti-animal hair

Ref: 440M009

- With handle
- Color: red
- Dimensions: 16 x 5 x 9 cm





HAND BRUSHES AND SQUEEGEES

Red brush pad

Ref: **440M001**

- Ideal for cleaning effortlessly removes carpets, rugs, seats, rims, tires, plastics, etc.
- Can be used and adapted to all screwdrivers
- Material: 100% polypropylene
- Ø 12 cm



Set of 4 brush pads

Ref: **440M021** - Red with harsh hair

Ref: **440M023** - White with soft pile



Box of 5 brushes of cleaning

Ref: **440M020**

- Removes dirt effectively without causing damage to the surface
- Allows you to easily reach hard-to-reach areas
- Ergonomic handling
- Box size: 25 x 22 x 3 cm



Brush of cleaning

Ref: **440M012**

- Ideal for cleaning dashboards, air vents, etc.



Brush of cleaning professional Black color

Ref: **440M013**

- Ideal for cleaning rims,...



Brush of cleaning professional Black and red colors

Ref: **440M014**

- Ideal for cleaning rims,...



Silicone squeegee 1 flexible blade

Ref: **440M015**

- Flexible silicone blade
- Flexible material allowing it to conform to the surfaces to be dried
- Dimensions: 31 x 10 cm



Silicone squeegee 1 blade

Ref: **440M016**

- 1 drying blade
- Anti-scratch
- Dimensions: 31 x 10 cm



"Total" type squeegee

Ref: **440M017**

- Squeegee length: 20 cm
- Handle length: 41 cm
- 1 blade for washing
- 1 blade for drying





GLOVES & SPONGES

Professional polisher

Ref: 410M013

- Dimensions: 75 x 20 cm



Washing glove

Ref: 420M008

- Bi-sided microchenilles and microfibers
- Blue color
- Dimensions: 24 x 20 cm



Glove Special decontamination

Ref: 420M006

- Material: synthetic clay, microfibers and polymer
- Allows washing of the vehicle while decontaminating it
- Removes traces of tar, polluting fallout, resin, road film, etc.
- Dimensions: 22 x 15 cm



Washing glove

Ref: 420M003

- Two-sided microfibers
- Orange color
- Dimensions: 28 x 22 cm



Washing glove soft and thick

Ref: 420M013

- Resistant to aggressive products
- Drastically reduces the risk of micro-scratches.
- Accumulates a large quantity of soapy water and foam for perfect gliding on your bodywork
- Captures contaminants
- Material: 80% polyester and 20% polyamide
- Dimensions: 21 x 30 cm



Chamois leather " New generation "

Ref: 430M008 - Dimensions: 43 x 32 x 0.2 cm

Ref: 430M009 - Dimensions: 64 x 43 x 0.2 cm

- Material: embossed PVA
- 2 times more absorbent
- 2 times more efficient
- 1 embossed side for rubbing without scratching
- 1 smooth side for wiping
- Ideal for cleaning any vehicle
- Quickly dries the bodywork for a streak-free result





GLOVES & SPONGES

Set of 10 sponges Special application

Ref: 430M007

- To apply waxes and polishes
- Set of 10 sponges
- Dimensions: 14 x 4 x 2.2 cm



Foam sponge ABSORB COMPACT

Ref: 430M018

- Material: polyether foam
- Great absorbency
- Vacuum packed for savings space and storage
- Dimensions in the open air: 21 x 12 x 7.5 cm



VACUUM PACKED
STORAGE GAIN

Set of 10 magic sponges

Ref: 430M020

- Effectively removes all traces of rubber, sole, pen, marker, oil, scale, coffee, pool liners on all surfaces



Sponge Double sides

Ref: 430M019

- 1 microfiber side
- 1 honeycomb side
- Very absorbent
- Machine washable
- Dimensions in the open air: 22 x 10.5 x 7 cm



DUAL PURPOSE
WASHING & SCRAPING

PADS applicator

Ref: 625A018

- Does not scratch and easily cleans your car.
- The pad helps to apply products like dressing, wax, polish.
- This Pad is ideal for waxing the interior or exterior of the car lightweight, durable and does not deform
- Diameter: 10 cm
- Thickness 1.5 cm





MICROFIBERS & WIPES

GLASS NET microfibers

Ref: 500M015

- Bag of 10 microfiber cloths
- Dimensions: 70 x 50 cm
- Weight: 220 g/m²
- Material:
 - Silk-like knitted microfiber
 - Tight stitches
 - Stitched edges
- Marking: GLASS NET
- Color blue and white
- Packaging: Individual plastic bag



THE



- Degreasing.
- Very absorbent.
- Does not lint.
- Do not leave a trace.
- Makes shine.
- Dries quickly.

- Professional cloth for wiping glasses, windows, mirrors, smooth and fragile surfaces (crystal), etc.
- Thanks to its extremely fine and silky weave, it allows the most fragile glasses to be wiped without leaving traces.
- Shines and dries very quickly.

LASER CUT microfibers

Ref: 500M001 - Green color

Ref: 500M002 - Red color

Ref: 500M003 - Yellow color

Ref: 500M005 - Blue color

- Bag of 5 microfibers
- Dimensions: 40 x 40 cm
- Weight: 280 g/m²
- Seamless laser cutting



LUXE microfibers

Ref: 500M012

- Bag of 20 microfibers
- Dimensions: 40 x 40 cm
- Weight: 250 g/m²
- Blue color



SUPER LUXE microfibers

Ref: 500M006 - Blue color

Ref: 500M007 - Yellow color

- Bag of 5 microfibers
- Dimensions: 40 x 40 cm
- Weight: 300 g/m²
- Stitched edges



SUPER BLACK microfibers

Ref: 500M008

- Bag of 5 microfibers
- Dimensions: 40 x 40 cm
- Weight: 300 g/m²
- Color: black



Microfibers

SUPER LUXURY WINDOWS

Ref: 505M001

- Bag of 5 microfibers
- Dimensions: 40 x 40 cm
- Weight: 300 g/m²
- Color: blue





MICROFIBERS & WIPES

Microfiber LASER LUX POLISH

Ref: 515M001

- Dimensions: 40 x 40 cm
- Weight: 380 g/m²
- Color: blue



Microfibers SUPER LUXURY POLISH

Ref: 515M002

- Bag of 3 microfibers
- Dimensions: 40 x 40 cm
- Weight: 580 g/m²
- Blue color



POLISH microfiber SUPER THICK

Ref: 515M003

- Dimensions: 40 x 40 cm
- Weight: 1100 g/m²
- Color: gray



Microfiber POLISH LUX

Ref: 515M004

- Dimensions: 40 x 40 cm
- Weight: 600 g/m²
- Color: gray



Microfiber Special decontamination

Ref: 520M001

- Material: synthetic clay, microfibers and polymer
- Allows washing of the vehicle while decontaminating it
- Removes traces of tar, polluting fallout, resin, road film, etc.



Large format microfiber


Ref: 500M009

- Dimensions: 90 x 60 cm
- Weight: 400 g/m²
- Stitched edges
- Color: blue





IMPREGNATED WIPES



Outdoor special

Ref: 590M001

- Cleaners, polishes and protective
- Box of 80 pre-impregnated wipes
- Wipes size: 24 x 20 cm
- Box size: Ø 11.5 cm
- Height: 24.5 cm



Interior special

Ref: 590M002

- Renovator and brightener silicone-free
- Box of 80 pre-impregnated wipes
- Wipes size: 24 x 20 cm
- Box size: Ø 11.5 cm
- Height: 24.5 cm



Special stain remover

Ref: 590M003

- Multi-use stain removers
- Box of 80 pre-impregnated wipes
- Wipes size: 24 x 20 cm
- Box size: 11.5 cm
- Height: 24.5 cm



Special degreaser

Ref: 590M004

- Cleaners and degreasers
- Box of 80 pre-impregnated wipes
- Wipes size: 24 x 20 cm
- Box size: Ø 11.5 cm
- Height: 24.5 cm



Special hands

Ref: 590M005

- Hand degreasers
- Box of 80 pre-impregnated wipes
- Wipes size: 24 x 20 cm
- Box size: Ø 11.5 cm
- Height: 24.5 cm



Special anti-graffiti

Ref: 590M006

- Anti-graffiti
- Box of 80 pre-impregnated wipes
- Wipes size: 24 x 20 cm
- Box size: Ø 11.5 cm
- Height: 24.5 cm





FLOOR CLEANING

TURBO MOP DELUX broom

" Last generation "

Ref: **600M002**

- Broom with 360° rotating system
- Pedal bucket with double centrifuge, 1 of which is stainless steel
- 125 cm telescopic handle, covered for good grip
- Delivered with 2 mops with high quality microfiber fringes
- Non-slip stability feet
- Dimensions : 50 x 31 x 29 cm
- Aluminum pedal: very robust
- Mop washable in washing machine
- Colors: gray and white
- Transport handle and wheels

HEIGHT
ADJUSTABLE

ROTATION
360°

THE

- Optimal stability.
- Comfort in use.
- Ergonomic.
- Professional system and robust.



PARQUET FLOORS



VINYLS



TILES



HANDLE AND WHEELS
TRANSPORT

OPTIONS & SPARE PARTS for TURBO MOP DELUX



Mop
Ref: **600A001**



Handle + base pack
Ref: **600A008**



THE

- Stainless steel support.
- Very robust.



VACUUM CLEANERS

WATER AND DUST VACUUM CLEANERS

Vacuum cleaner - 1 motor

Plastic tank

Ref: **610M003**

- Tank: plastic
- 1 motor
- Max power: 1,500 W
- Motor: single-stage
- Water vacuum: 2230 mm
- Air flow: 237 m³ /h
- Tank capacity: 26 liters
- Standard accessories Ø 36 mm
- Dimensions: 40 x 40 x 74 cm



OPTIONS & SPARE PARTS for 1 MOTOR VACUUM CLEANER



Flat nozzle Ø 36
Ref: **610A005**



Round brush Ø 36
Ref: **610A006**



Single-stage motor for vacuum cleaner 1 motor
Ref: **610A013**



Pipe Ø 36
Length 2.5 meters
Ref: **610A004**

Vacuum cleaner - 3 motors

Stainless steel tank

Ref: **610M001**

- Tank: stainless steel
- 3 engines
- Max power: 3,500 W
- Motor: two-stage
- Water vacuum: 2230 mm
- Air flow: 710 m³ /h
- Tank capacity: 62 liters
- Standard accessories Ø 38 mm
- Dimensions: 58 x 72 x 98 cm



Vacuum cleaner - 3 motors

Plastic tank

Ref: **610M002**

- Tank: plastic
- 3 engines
- Max power: 3,500 W
- Motor: two-stage
- Water vacuum: 2230 mm
- Air flow: 710 m³ /h
- Tank capacity: 62 liters
- Standard accessories Ø 38 mm
- Dimensions: 58 x 72 x 98 cm



OPTIONS & SPARE PARTS for 3 MOTOR VACUUM CLEANERS



Flat nozzle Ø 38
Ref: **610A003**



Round brush Ø 38
Ref: **610A002**



Two-stage motor for vacuum cleaner 3 motors
Ref: **615A004**



Pipe Ø 38
Length 2.5 meters
Ref: **610A001**

OTHER LENGTHS:
CONSULT US



VACUUM CLEANERS

INJECTORS / EXTRACTORS

L4 extractor injector

Ref: **615M001**

- 1 motor
- Power: 1200 W
- Pressure: 2 bars
- Flow rate: 2 L/min
- Water tank: 27 l
- Detergent tank: 6 liters
- Voltage: 220/240 V - 50-60 Hz
- Weight: 16 kg
- Dimensions: 40 x 40 x 60 cm



OPTIONS & SPART PARTS

for L4

Nozzle for extractor injector
Ref: **615A001**



Hose for extractor injector
Ref: **615A002**



Two-stage motor
Ref: **615A004**



Single sucker
Ref: **610A031**



L5 extractor injector

Ref: **615M002**

- 2 motors
- Power: 2400 W
- Pressure: 6 bars
- Flow rate: 3.5 L/min
- Water tank: 60 l
- Detergent tank: 25 liters
- Voltage: 220/240 V - 50-60 Hz
- Weight: 34kg
- Dimensions: 60 x 70 x 92 cm



THE



- Integrated drain.

OPTIONS & SPARE PARTS

for L5

Nozzle for extractor injector
Ref: **615A001**



Hose for extractor injector
Ref: **615A003**



Two-stage motor
Ref: **615A004**



Single sucker
Ref: **610A031**





ELECTRIC RANGE

Electric and circular polisher RP+

Ref: 620M006

- Circular polisher
- With mechanical variator
- Easy to use
- Ideal for car detailing
- Delivered with storage bag and a set of spare carbon and two handles
- Power: 1200 W
- Voltage: 240 V - 50 Hz
- Variable speed: 600 to 3300 rpm
- Standard: With storage bag
- Plate diameter: 5" - 120 mm
- Cable length: 4 m
- Weight: 2.3kg



Electric and roto-orbital polisher DA PRO+

Ref: 620M008

- Roto-orbital polisher: random rotation and off-center movements of the axis
- With mechanical variator,
- Considerably reduces polishing time,
- Removes all micro-scratches from any type of bodywork varnish,
- Essential tool for car detailing,
- Delivered with storage bag and a set of spare charcoal.
- Power: 720 W
- Voltage: 230 V - 50 Hz
- Variable speed: 2100 to 5000 rpm
- Orbit: 21 mm
- Plate diameter: - 120 mm and 150 mm
- Cable length: 4 m
- Weight: 2.3kg



ESSENTIAL TOOL FOR
PROFESSIONALS !





MATERIALS & TOOLS

POLISHERS & SANDERS

ELECTRIC RANGE

- The essential tool in automotive detailing to work faster and achieve impeccable results.
- Lightweight, robust and reliable polishers.
- For the polisher there are 2 versions:
 - Circular: circular rotation based on a fixed axis
 - Roto-orbital: random rotation and movements off-centered from the axis.
- Roto-orbital polishers significantly reduce polishing times.
- They are very easy to use and are within the reach of all operators.



PADS & PLATES for POLISHERS AND SANDERS

THE PADS

Yellow color
HARD



6" foam pad
for top ø 120
mm
Ref: **620A006**

7" foam pad for ø
150 mm tray
Ref: **620A007**

Orange color
MI-HARD



6" foam pad
for top ø 120
mm
Ref: **620A008**

7" foam pad for ø
150 mm tray
Ref: **620A009**

Black color
FLEXIBLE



6" foam pad
for top ø 120
mm
Ref: **620A010**

7" foam pad
for top ø 150
mm
Ref: **620A011**



Wool pad 6"
for top ø 120
mm
Ref: **620A012**

Wool pad 7"
for tray
ø 150 mm
Ref: **620A013**



Decontamination Pad
ø 150 mm
Ref: **620A014**

TRAYS

Special circular polishers



Velcro® holder tray
ø 120mm
Ref: **620A001**

Velcro® holder tray
ø 150 mm
Ref: **620A002**



M14 adapter with
tray Velcro® 3"
Ref: **620A005**

Special roto-orbital polishers



Velcro® holder tray
ø 120mm
Ref: **620A003**

Velcro® holder tray
ø 150 mm
Ref: **620A004**



MATERIALS & TOOLS

POLISHERS & SANDERS

PNEUMATIC RANGE



Polishing gun circular MINI P3

Ref: 625M002

- 3" compressed air
- Special headlight optics and hard to reach places, mirrors, etc.
- Power: 2500 rpm
- Ø 7 cm
- Weight: 0.60 kg



Polishing gun circular POL 3

Ref: 625M003

- 3" compressed air
- Ø 7 cm
- Power: 2100 rpm
- Adjustable speed
- Weight: 0.77 kg



Sander gun roto-orbital PON 3

Ref: 625M004

- 3" compressed air
- Orbit: 5 mm
- Ø 7 cm
- Power: 1500 rpm
- Adjustable speed
- Weight: 0.72 kg



Suitcase VCMP

Ref: 625M005

Complete suitcase including:

- 1 circular polisher 3" Ø 7 cm with speed variator. Power: 2100 rpm
- 1 wool pad
- 1 flat surface pad
- 1 Wave Surface pad
- 1 oil can
- 1 storage case



VCPP suitcase

Ref: 625M006

Complete suitcase including:

- 1 circular polisher 3" - Ø 7 cm. Power: 2100 rpm • 1 3" roto-orbital sander - Ø 7 cm. Power: 1500 rpm
- 50 abrasive discs 3000
- 50 abrasive discs 1000
- 50 abrasive discs 800
- 50 abrasive discs 600
- 2 wave pads
- 2 flat pads
- 2 pad holders
- 1 bottle of sanding product
- 1 bottle of polishing product
- 2 keys
- 1 can of oil
- 1 storage bag





MATERIALS & TOOLS

POLISHERS & SANDERS

PNEUMATIC RANGE



ACCESSORIES & PADS for POLISHERS AND SANDERS

3" Velcro® door
Ref: 625A001



Interface Velcro®
3" disk
Ref: 625A002



3" eraser pad
Ref: 625A003



3" wool pad
Ref: 625A004



3" foam pad "flat
surface"
Ref: 625A005



3" foam pad
"wave surface"
Ref: 625A006



BOX OF 50 DISCS



3" abrasive disc,
600 grit
Ref: 625A007

3" 800 grit abrasive
disc
Ref: 625A008

3" abrasive disc
1000 grit
Ref: 625A009

3" abrasive disc
3000 grit
Ref: 625A010

Mini oiler
Ref: 630A005

- Mounts directly to the inlet of pneumatic machines requiring regular lubrication

- Ø ¼ M x ¼ F
- Reservoir capacity: 10 ml



Oil can
30ml
Ref: 625A011






MATERIALS & TOOLS

BRUSH / GRINDER / STRIPER

PNEUMATIC RANGE

- The PRO brusher is a tool for brushing or effectively strip carpets, fabrics and floor mats using stainless steel brushes. The eraser allows you to remove adhesives and stickers from bodywork.
- Air consumption: 300 L/min.
- Air inlet: 1/4".
- Rotation speed: 3500 rpm.
- Pressure: 6 bars.
- Weight: 1.3 kg.



ACCESSORIES for BRUSHER / GRINDER / SCRAPER

Curved stainless steel brush
Ref: **630A001**

- Allows you to effectively brush, strip and revive automobile floor mats, carpets, fabrics, various rugs
- Thickness: 23 mm



Straight stainless steel brush
Ref: **630A002**

- Allows you to remove traces of rust from sheet metal and bodywork
- Thickness: 23 mm



Eraser
Ref: **630A003**

- Allows you to remove adhesives and stickers from bodywork.
- Thickness: 23 mm



Sanding brush
Ref: **630A004**

- Ideal for underbody, blaxon and stripping of bodywork
- Thickness: 23 mm



Mini oiler
Ref: **630A005**

- Mounts directly to the inlet of pneumatic machines requiring regular lubrication
- Ø 1/4 M x 1/4 F
- Reservoir capacity: 10 ml



Oil can 30ml
Ref: **625A011**





MATERIALS & TOOLS

BRUSH / GRINDER / STRIPER

PNEUMATIC RANGE

Pro BRK brush machine

Ref: 630M003



Composition :

- 1 pneumatic brusher
- 1 curved stainless steel brush
- 1 brush holder
- 1 oil can
- 1 disassembly key
- 1 packaging box cardboard-based

Pro BRV2 brush machine With storage case

Ref: 630M002



Composition :

- 1 pneumatic brusher
- 1 curved stainless steel brush
- 1 eraser
- 1 brush holder
- 1 bi-directional 360° connection
- 1 oil can
- 1 disassembly key
- 1 storage case

Stand-alone grease pump with suitcase

Ref: 750M001 - 2 battery version

- This battery-powered grease pump is a fully automated, battery-powered grease gun designed for manual lubrication of grease points
- Rechargeable battery •
- 18V Lithium-ion - 2000 mAh
- With LCD display of battery capacity
- Charger: 240 V
- Pressure: 550 bar
- Grease reservoir capacity: 0.4 liters
- Flow rate: 0.1 L/min
- Charging time: Approximately 1 hour 30 minutes
- Hose length: 70 cm



THE



- Supplied with 2 rechargeable batteries.





MATERIALS & TOOLS

AEROSOLS

R-SPRAYER aerosol


Ref: **750M002 - NBR seal**

Ref: **750M002.V - Viton seal**

- Refillable aerosol replacing traditional aerosols
- Its principle is simple, it is intended for use with an air + liquid mixture
- The R-SPRAYER is free of CFCs, Freons, pulsator gas potentially dangerous for the user and the environment
- Delivered with 2 spray nozzles
- Seals and materials resistant to most oils, cleaning products, degreasers, disinfectants, deodorizers, lubricants, etc.
- Controlled and easy filling
- Material: Aluminum
- Capacity: 250 ml
- Pressure: 6 to 8 bars maximum
- Safety valve: Above 8 bars
- Weight: 0.4 kg



Equipped with a straight jet nozzle and a mist jet nozzle



INFLATOR

Autonomous inflator

Ref: **750M004**

AUTONOMOUS ON BATTERY
LITHIUM

- Digital dial
- Automatically stops at pre-set pressure
- Power: 100 W
- Battery: Lithium - 1500 mAh
- Air flow: 25 L/min
- Pressure: from 0 to 10 bars
- Supplied with a USB cable and 3 tips



- Digital dial





MATERIALS & TOOLS

DRAIN OPENER

Autonomous and universal unblocker

RAPIDO

Ref: 707M001

- This autonomous pipe unblocker is equipped with an electro-pneumatic pump which sends air pressure calibrated according to the pipe to be unblocked (WC, sink, showers, floor drain, pipes, etc.)
- Recharges in just 20 seconds.



THE



- Innovation and exclusivity 4B DISTRIB.
- Simple, ultra-fast and efficient.
- No need to call in a plumber anymore.
- No need for water, electricity or compressed air connections.

INSECT DESTROYER

Insect destroyer

INSECTIVOR

Ref: 706M001 - 2 speed model

Ref: 706M002 - 1 speed model

- Neon attracts insects: a vacuum fan drags them into the box.
- 1 tube of 32 W
- Works on mains.
- Consumption 55 Wh.
- Two-speed.
- An aesthetic shredder, for your stores, premises, etc.
- Coverage area: radius of 14 to 16 meters.
- Safety: Automatic shutdown on touch.
- Food stores, restaurants, kitchens, caterers, bars, food laboratories, cheese factories and all places sensitive to insects.



THE



- No noise or smell of insect electrocution
- No encrustation on the high voltage grid
- No projection
- Easy maintenance: collection tray and washable filters and reusable
- Removal of pathogenic germs on food substances



LAMPS & LIGHTING BAGS

LIGHTING

LED lighting strip

Adjustable, Telescopic and Magnetic

Ref: **650M018**

- 3 function switch: high, low and off
- Center hinge between tubes for angle adjustment from 0° to 180°
- Individual tubes rotate through an angle of 180°
- Spring hooks, rubber coated, range from 48 ° to 68°
- 9 Volt DC, 500MA wall charger with 6 cm cord
- 12 Volt, 500 mA car port/power charger with 6 cm power cord
- Light output: 750 to 1250 lumens
- Adjustment angle: 0 to 180°
- Individual tube rotation: 180°
- Lithium-ion battery: 7.5 V
- Charging time: 5-6 hours
- Battery life:
 - 2 hours at full intensity
 - 7/8 hours at low intensity



THE



- Adjustable.
- Telescopic.
- Magnetic.
- Detachable neon.
- Adjustable.

OPTION



- Option: 5 meter long power cable for continuous work
- Ref: **650A003**



360° memory rotating work light

Ref: **650M015**

- Brightness:
 - Main light adjustable from 50 to 500 lumens (6500 K 80 CRI)
 - Top light: 120 lumens (6500 K 70 CRI)
- 3.7V / 2600 mAh Li-ion battery
- Charging time: 4 hours
- Usage time:
 - Mainlight: 2 hours (at 500 lumens) / 16 hours (at 50 lumens)
 - Top light: approximately 9.5 h
- Dimensions: 423 x 65 x 445 mm
- Weight: 290 grams
- Comes with 3 LED battery level indicators indicating charging



Multi-function and 3-in-1 adjustable work lamp

Ref: **650M021**

- Brightness: 100 to 400 lumens
- Battery: rechargeable, lithium 2200 mAh 3.7V
- IP 54
- Battery indicator:
 - red LED: charging the lamp
 - Green LED: ready for use
- Charging time: 4 to 5 hours
- Operating time: 3 W COB LED: 2.5 hours if fully charged
- 1W flashlight: 6 hours if fully charged
- Smooth rubber ABS housing
- Polycarbonate lens
- Dimensions: 243 mm
- Weight: 265 g





LAMPS & LIGHTING BAGS

LIGHTING

LED work light extra flat and rotatable 120°

Ref: **650M011**

- Description: 1 COB 6W LED - ULTRA powerful + 1 COB 3W LED
- Material: ABS plastic shell + rubber handle
- Battery: 3.7V - 2600mAh Li-ion - Rechargeable 230V
- Charging time: 4 hours
- 2 lighting modes:
 - 600 Lumens - 6W COB LED - 6500 K - CRI=80
- Battery life: 3 hours - Main lighting at full power
 - 250 Lumens - 6W COB LED - 6500 K - CRI=80
- Battery life: 5h30 - Main lighting on eco power
- 1 flashlight mode:
 - 260 Lumens - 3W COB LED - 6500 K - CRI=80
- Battery life: 7 hours - Top lighting
- Dimensions: 41 x 60 x 340 mm
- Weight: 300 grams



Extra thin and foldable lamp

Ref: **650M017**

- Battery: 3.7 V
- IP: IK07
- Adjustable from 80 to 200 Lumens
- Battery life: 2 to 3 hours
- Recharge time: 2 hours 30 minutes
- Total length: 30 cm



Headlamp

Ref: **650M020**

- LED side torch
- Adjustable strap
- Motion sensor
- Charging time: between 3 to 5 hours
- Battery indicator
- IP44
- Autonomy:
 - LED front strip: between 3 and 4 hours
 - Side torch LED: between 4 and 6 hours



360° adjustable lamp

Ref: **650M004**

- Robust and ergonomic, the lighting lamps allow hands-free working by illuminating engine compartments, passenger compartments and all dark places
- Material: smooth rubber ABS housing, polycarbonate lens
- Brightness: 260 lumens
- Rechargeable battery: Lithium - 12 V and 230 V
- Charger on SEC 220 V and on cigarette lighter
- Charging time: ± 4-5 hours (if fully discharged)
- Operating time:
 - 3 W COB LED: ± 2h30 (if fully discharged)
- 1 W flashlight: ± 6h (if fully discharged)



LAST
TECHNOLOGY
3W COB LED



MISCELLANEOUS EQUIPMENT

SMALL ACCESSORIES

Bucket + Grid

25L

Ref: 710M022

- Capacity: 25 liters
- Caster kit
- Cleaning grid for brush, mop, pads...



Waste collection pliers

Ref: 730M002

- Dimensions: 96 cm
- Weight: 320 g



Faucet cap

Ref: 710M001: DIN 60

Ref: 710M014: DIN 40

- Material: Polyethylene
- For 5, 10, 25 and 30 liter cans according to DIN



"Special trunk" bag

Ref: 720M022

- Business card holder
- 3 Velcro tabs to secure in the trunk
- Reinforced bottom
- Dimensions: 22 x 12 x 24 cm



Professional bag

Ref: 720M001

- Material: polyester
- Reinforced handle
- Carrying strap
- With interior and exterior pockets
- Dimensions: 51 x 24 x 30 cm
- Weight: 2 kg



Telescopic ladder

13 bars

Ref: 718M001

- Height: 3.8 meters
- 13 bars
- Maximum load: 150 kg
- Weight: 15 kg
- According to the norms :
EN 131 - 1 EN 131 - 2
EN 131 - 3 EN 131-4



ALU step

Ref: 770M001

- Safety lock with anti-slip coating
- Entirely foldable aluminum to save space
- Weight: 7 kg
- Total load: 150 kg
- Dimensions: 100 x 30 x 49 cm
- Material: Aluminum
- Function: Foldable





MISCELLANEOUS EQUIPMENT

SMALL ACCESSORIES

Polisher holder

Ref: 770M008

- Support suitable for a wide range of polisher sizes
- Simplifies storage by eliminating tangled cables



PAD holder

Ref: 770M004

- Protection of your pads
- Avoids deformations
- Extending the life of your pads



Handle holder or brusher

Ref: 770M010

- Support for our range of handles and brushers
- Dimensions: 20 x 10 x 4 cm



Sprayer holder

Ref: 770M007

- Allows you to keep a tidy and organized workspace
- Allows you to avoid product spills



Brush and sprayer holder

Ref: 770M006

- Allows you to keep a tidy and organized workspace
- Dimensions: 63 x 13 x 7 cm



Cyclone holder and foam lance

Ref: 770M005

- Support for our range of cyclones and foam lances
- Dimensions: 10 x 5 x 2 cm



Mobile trolley with storage

Ref: 770M003

- Our trolley guarantees safe and reliable maintenance of your tools, even when traveling.
- Effortless maneuverability
- Easy and pleasant working experience
- Total possible load: 150 kg
- Weight: 13 kg

THE



- Allows you to avoid going back and forth
- Versatile
- Robust
- Handy





4B DISTRIB SAS

ZA du Moulin
18, route de Pontault
77680 Roissy en Brie



Videos and demos
on :

www.4bdistrib.com

www.4bdistrib.com



STRATEGIC LOCATION

PARIS
AT 15 MINUTES

AÉROPORT
ONLY
AT 20 MINUTES


➤ A4
METZ NANCY

➤ A1
LILLE

➤ AÉROPORT
ROISSY CDG
AT 20 MINUTES



ZA du Moulin
18, route de Pontault
Bâtiment A1
77680 Roissy en Brie



DO NOT HESITATE TO CONTACT US :

- ▶ Tel. : +33 (0)1 60 05 60 26
- ▶ Fax : +33 (0)1 60 05 46 44
- ▶ E-mail : contact@4bdistrib.com